

# Non-invasive brain stimulation helps to ease tremors

January 25 2021, by Chris Lane

---



Electrodes being attached for electrical stimulation. Credit: Imperial College London / Thomas Angus

A team involving UCL researchers have used electrical pulses to help suppress the tremors typically found in conditions such as Parkinson's disease.

In a paper published in *Nature Communications*, the scientists report their new way of suppressing the [brain waves](#) underpinning tremors, without the need for invasive techniques.

Joint first author of the paper, Dr. Sebastian Schreglmann (UCL Queen Square Institute of Neurology) said: "Tremor is a very debilitating [symptom](#) in some of our patients. Unfortunately, currently available treatments provide relief only in a proportion but not all patients. We hope that if our new technique proves successful in larger trials, it could be developed into a safe and effective therapy for more of our patients."

Tremors, a common feature in a range of neurological conditions, can be severely disabling, causing involuntary shakes affecting the hands, head, legs or other body parts. The movements are thought to be the result of rogue [brain](#) waves—or aberrant oscillations—in regions associated with motor functions. But their underlying cause is still largely unknown, making it difficult to treat symptoms with drugs.

In severe cases, brain surgery may be an option, but this is invasive, not widely available and carries risks.

In a small study, the researchers developed a way of calculating and tracking the phase of these rogue brainwaves in real time—showing the synchronized peaks and troughs of activity as they ripple through the brain.

They then used a non-invasive form of electrical stimulation to target the cerebellum—the region at the back the brain which coordinates movement.

They found that by synchronizing the brain stimulation with specific phases of these aberrant oscillations, they were able to reduce tremors in people with Essential Tremor Syndrome (ETS), the most common

neurological disorder to cause such tremors.

Eleven people with ETS were given the treatment by applying electrodes to the scalp, arranged to maximize the electric fields in the cerebellum. The electric fields were adjusted in real time to maintain a fixed phase corresponding to the ongoing tremor movement, called 'phase-locking.'

The team found the reduction of symptoms lasted during stimulation and for a short period afterwards. The reduction in the tremor amplitude (or severity) was associated with a disruption of the regularity of the movement, meaning the more the brain stimulation made the tremor irregular, the more it reduced its amplitude.

The team hopes that this discovery will pave the way for possible long-term treatment of tremors and other symptoms in people with other brain conditions that involves aberrant synchronous oscillations.

The researchers developed a way of calculating and tracking the phase of these rogue brainwaves in real time—showing the synchronized peaks and troughs of activity as they ripple through the brain.

Dr. Nir Grossman (Imperial College London and UK Dementia Research Institute), who jointly led the research with UCL's Professor Kailash Bhatia said: "Tremor symptoms can be upsetting and get in the way of doing basic, everyday things that most of us take for granted. In the worst cases, they can be severely debilitating.

"Tremors are caused by abnormal synchronization in the motor areas of the brain but the biological processes underlying them are still not well understood. By targeting the temporal pattern of the brain's abnormal synchronization, we may be able to treat it, non-invasively, despite the limited knowledge of the precise causes.

"Our work presents an early-stage feasibility study of this approach. We hope to continue to develop it into a widely available treatment for tremors, as well as other symptoms that are underpinned by abnormal synchronization in the brain."

**More information:** Sebastian R. Schreglmann et al. Non-invasive suppression of essential tremor via phase-locked disruption of its temporal coherence, *Nature Communications* (2021). [DOI: 10.1038/s41467-020-20581-7](https://doi.org/10.1038/s41467-020-20581-7)

Provided by University College London

Citation: Non-invasive brain stimulation helps to ease tremors (2021, January 25) retrieved 26 April 2024 from <https://medicalxpress.com/news/2021-01-non-invasive-brain-ease-tremors.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.