


Contrast-enhanced mammography for breast cancer in women with augmented breasts

March 18 2021



Left to right: Subtraction right mediolateral oblique (MLO) CEM was non-diagnostic because of artifact, potentially due to motion misregistration from extended exposure time; subtraction right MLO implant displaced CEM image shows 5.8 cm enhancing mass (arrow); contrast-enhanced MRI sagittal subtraction image shows concordant mass (arrow). Credit: American Roentgen Ray Society (ARRS), American Journal of Roentgenology (AJR)

According to ARRS' *American Journal of Roentgenology (AJR)*, contrast-enhanced mammography (CEM) showed concordance with MRI in women with newly diagnosed breast cancer and breast augmentation.

Noting that CEM has not been investigated in [women](#) with breast augmentation, Molly Carnahan and her Mayo Clinic team in Phoenix, AZ, concluded, "the findings suggest a possible role of CEM for staging in women with [breast augmentation](#) and contraindication or limited access to MRI."

From an institutional database of 2,215 women who underwent CEM between January 2015 and March 2020, the researchers identified [breast implants](#) in 67 women: 42 without corresponding MRI, 3 without [breast cancer](#), 1 with axillary disease only, and 6 with [neoadjuvant chemotherapy](#) before CEM or MRI—leaving a final sample of 17 women (mean age 52 years; 6 with non-dense breasts, 11 with dense breasts).

The index cancer histology was invasive ductal carcinoma (IDC) in 15 (88%) women, invasive lobular carcinoma (ILC) in 1 (6%), and ductal carcinoma in situ in 1 (6%). Median index cancer size was 2 cm, and 2 (12%) index cancers were mammographically occult. Ultimately, CEM and MRI were concordant for the index cancer in all 17 women.

Six additional lesions were demonstrated by CEM and confirmed by MRI in 6 (35%) women: 3 multifocal, 1 multicentric, 2 contralateral. Two of these lesions revealed malignant histopathology: 1 IDC, 1 ILC.

"MRI did not identify any additional cancers not identified on CEM," the authors of this *AJR* article added.

More information: Molly Carnahan et al, Contrast-Enhanced Mammography for Newly Diagnosed Breast Cancer in Women With Breast Augmentation: Preliminary Findings, *American Journal of Roentgenology* (2021). [DOI: 10.2214/AJR.20.25341](https://doi.org/10.2214/AJR.20.25341)

Provided by American Roentgen Ray Society

Citation: Contrast-enhanced mammography for breast cancer in women with augmented breasts (2021, March 18) retrieved 4 May 2024 from <https://medicalxpress.com/news/2021-03-contrast-enhanced-mammography-breast-cancer-women.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.