

## Neurological complications of COVID-19 in children: rare, but patterns emerge

March 10 2021



Credit: CC0 Public Domain

While neurological complications of COVID-19 in children are rare, in contrast to adults, an international expert review of positive neuroimaging findings in children with acute and post-infectious COVID-19 found that the most common abnormalities resembled immune-mediated patterns of disease involving the brain, spine, and



nerves. Strokes, which are more commonly reported in adults with COVID-19, were much less frequently encountered in children. The study of 38 children, published in the journal *Lancet*, was the largest to date of central nervous system imaging manifestations of COVID-19 in children.

"Thanks to a major international collaboration, we found that neuroimaging manifestations of COVID-19 infection in children could range from mild to severe and that pre-existing conditions were usually absent," says co-senior author Susan Palasis, MD, Division Head of Neuroradiology at Ann & Robert H. Lurie Children's Hospital of Chicago and Associate Professor of Radiology at Northwestern University Feinberg School of Medicine. "Attention to the neurological effects of COVID-19 and recognition of neuroimaging manifestations that can be encountered in children can facilitate correct and timely diagnosis, mitigate the spread of <u>disease</u>, and prevent significant morbidity and mortality."

In order to understand the neuroimaging findings encountered in clinical context, Dr. Palasis and colleagues divided the cases into four categories of disease based on the children's symptoms and laboratory findings. In this way they were able to evaluate a large number of cases simultaneously and identify recurring neuroimaging patterns in the acute and post-infectious phases of disease.

Abnormal enhancement of spinal nerve roots on MRI was observed in many of the cases. This <u>neuroimaging</u> finding is typically seen with Guillain-Barré Syndrome (GBS), a post-infectious autoimmune disease. The study demonstrated that GBS associated with COVID-19 can present as an acute para-infectious process rather than the typical postinfectious neuronal injury.

Another significant observation was that cranial nerve enhancement was



also frequently present.

"We noted that abnormal nerve enhancement did not always correlate with corresponding nerve symptoms," says Dr. Palasis. "This indicates that neuroradiologists must perform targeted searches for unsuspected abnormalities, as they could be the clue that COVID-19 is the underlying cause of disease."

Other findings that were frequently seen were areas of abnormality on MRI within a specific area of the brain, the splenium of the corpus callosum, and muscle inflammation. These were more frequently identified with multisystem inflammatory syndrome in children (MIS-C), a serious complication of COVID-19.

Myelitis, an infectious or post-infectious demyelinating condition of the spinal cord, was also a frequent pattern of disease. Most cases fell into the spectrum of a post-infectious process and the children were either normal on follow-up or had mild residual symptoms. One child developed a severe myelitis and ultimately became quadriplegic.

"Our observations indicate that while most children with COVID-19 related nervous system disease do well, some can be severely affected," says Dr. Palasis. "We encountered four cases of atypical infections of the central nervous system in previously healthy children diagnosed with acute COVID-19, which were uniformly fatal. The results of our study emphasize the importance of being cognizant of the atypical and lessprevalent sequelae of COVID-19 neurologic disease in <u>children</u> with recent or concurrent COVID-19 infections. Neuroimaging patterns we identified in our study should prompt investigation of possible COVID-19 as the underlying etiological factor for disease."

**More information:** Camilla E Lindan et al, Neuroimaging manifestations in children with SARS-CoV-2 infection: a multinational,



multicentre collaborative study, *The Lancet Child & Adolescent Health* (2020). DOI: 10.1016/S2352-4642(20)30362-X

## Provided by Ann & Robert H. Lurie Children's Hospital of Chicago

Citation: Neurological complications of COVID-19 in children: rare, but patterns emerge (2021, March 10) retrieved 30 April 2024 from <u>https://medicalxpress.com/news/2021-03-neurological-complications-covid-children-rare.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.