


Plant compound shows promise against triple-negative breast cancer

April 27 2021



The researchers used the plant compound sanguinarine to treat two groups of triple negative breast cancer cells -- one derived from women with African American ancestry and the other from women of European origin. Credit: Samia Messeha, Florida Agricultural and Mechanical University

Findings from a new cell study suggest that the natural plant compound sanguinarine could be a promising tool for targeting triple-negative breast cancer cells. The researchers also found that breast cancer cells

derived from people with African American ancestry were more sensitive to sanguinarine than those of European origin.

"Triple negative [breast cancer](#) is especially aggressive in African American women, who are also more likely to develop this type of [breast cancer](#) than women of European descent," said Samia Messeha, Ph.D., a research associate in the College of Pharmacy and Pharmaceutical Science at Florida Agricultural and Mechanical University. "There is intense interest in finding new therapeutic strategies to fight this cancer."

About 10-20% of breast cancers are triple-negative, which means the cancer lacks—or is negative for—receptors for estrogen or progesterone and doesn't make excess amounts of a protein called HER2. The absence of hormone receptors means these tumors don't respond to the hormone-based therapies used for other types of breast cancer.

Messeha will present the research at the American Society for Investigative Pathology [annual meeting](#) during the virtual Experimental Biology (EB) 2021 meeting, to be held April 27-30.

Sanguinarine, a natural compound found in bloodroot and other medicinal plants, has been shown to have anti-bacterial, anti-inflammatory and anti-cancer effects. To better understand the mechanisms involved in the compound's anti-cancer effects, Messeha and her team used sanguinarine to treat two groups of triple negative [breast cancer cells](#)—one derived from women with African American ancestry and the other from women of European origin.

Although both groups of cancer cells showed reduced cell viability and growth when treated with sanguinarine, the researchers observed more pronounced effects for the cells derived from women with African American ancestry. The researchers also found that the treatment

activated different genes in each group of cells, which could help explain why some patients don't respond to certain therapies.

"Our findings suggest that sanguinarine could have therapeutic potential for patients with triple negative breast cancer, particularly African American women with the disease," said Messeha.

The researchers plan to investigate sanguinarine's effects in more triple negative breast cancer cell lines and study the effects of sanguinarine in combination with common drugs used to treat this breast cancer.

More information: Samia Messeha will present the findings from 2:30 p.m.-2:45 p.m. Wednesday April 28 ([abstract](#)).

Provided by Experimental Biology

Citation: Plant compound shows promise against triple-negative breast cancer (2021, April 27) retrieved 3 May 2024 from

<https://medicalxpress.com/news/2021-04-compound-triple-negative-breast-cancer.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--