


Rapid COVID tests used twice weekly could detect most contagious kids

April 8 2021, by Leigh Hopper



The rapid tests could be a promising option for schools, especially if they use serial testing. Credit: Pixabay

Last year, the U.S. government purchased 150 million BinaxNOW rapid antigen COVID-19 tests and began distributing them. One of the goals

was to safely reopen schools. However, little data was available on how well these tests performed, especially among asymptomatic school-age children.

A new USC study addresses that knowledge gap. The tests show promise for schools, especially if they use serial testing, such as twice a week.

"Serial testing is critical because one-time antigen tests might not identify asymptomatic [children](#) at or shortly after the onset of infection," said Neeraj Sood, who directs the COVID Initiative at the USC Schaeffer Center for Health Policy and Economics. "But serial testing will likely identify these children as they subsequently develop high viral loads and become infectious a few days later."

"Viral load" is an estimate of the amount of virus in a person's body. In COVID-19, the amount of virus starts off small, builds up to a peak and tapers off during recovery, remaining at a low level even when the person is no longer contagious. The higher the [viral load](#), the more likely the patient may infect others. Viral loads can be estimated by PCR tests, which take several hours to provide results, but not by rapid antigen tests, which give results in 15 minutes.

The study was published Monday in *PLOS ONE*.

USC study finds rapid tests return minimal false positives

To see how well the inexpensive, easy-to-use tests might work as a screening tool for schools, Sood and his colleagues launched their study at a walk-up testing site in Los Angeles County during the winter surge of COVID cases.

Children arriving at the testing site with their parents were given the opportunity to be tested for COVID twice—once with a rapid antigen [test](#) and once with the "gold standard" PCR test, to confirm the results of the rapid test. Overall, 774 children ages 5 to 17 years old took both tests.

The study found that the rapid antigen tests have very low false positive rates but a moderately high false negative rate. In other words, the tests rarely identified someone as positive who was not but did occasionally identify someone as negative who in fact had COVID.

"The good news is that the false negative rate is low in kids likely to be infectious, as measured by viral load," said Sood, a professor of [health policy](#), preventive medicine and business at the USC Schaeffer Center and the vice dean of research at the USC Price School of Public Policy. "Serial rapid testing may help compensate for missing the virus in the earliest stage of infection. If you're testing these kids every four days or every five days, then there's a good chance that you will catch them when they're infectious."

Serial rapid COVID testing could alleviate need for social distancing in schools

Among asymptomatic children who had COVID, as measured by the PCR test, the rapid antigen test identified about 50% of COVID-19 cases. The reason the rapid antigen test failed to identify many COVID-19 cases in children was because the majority of children tested had low viral loads as measured by Ct values—the number of times one needs to amplify the test sample to detect the genetic material of the virus.

The test was over 90% accurate when focused on the sample of children

with high viral loads who were very likely to be infectious. The test was about 99% accurate among asymptomatic children who did not have COVID-19. That is, the test gave a false positive result in 1 out of 100 asymptomatic children.

Sood said the [rapid tests](#), which require inserting a swab about a half-inch up the nose, could be administered by [school](#) staff or be self-administered with supervision. In addition, serial testing could allow schools to relax social distancing rules, he said.

More information: Neeraj Sood et al. Evaluation of the Abbott BinaxNOW rapid antigen test for SARS-CoV-2 infection in children: Implications for screening in a school setting, *PLOS ONE* (2021). [DOI: 10.1371/journal.pone.0249710](https://doi.org/10.1371/journal.pone.0249710)

Provided by University of Southern California

Citation: Rapid COVID tests used twice weekly could detect most contagious kids (2021, April 8) retrieved 26 April 2024 from <https://medicalxpress.com/news/2021-04-rapid-covid-weekly-contagious-kids.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--