


Head and neck cancer cells hijack nearby healthy tissue, promoting further invasion of cancer cells

May 26 2021



Credit: Unsplash/CC0 Public Domain

Up to half of patients with head and neck squamous cell carcinoma will experience tumor recurrence or new tumors—tumors that often spread and are difficult to treat.

A team of scientists led by the University of Michigan School of Dentistry identified a mechanism by which head and neck [cancer cells](#) subvert adjacent normal tissue, allowing small clusters of cancer cells to burrow beneath the healthy tissue.

The team decided to look at this particular mechanism in head and neck cancer because a specific gene, DMBT1, appeared on a screen of genes that are silenced during [oral cancer](#), said principal investigator Nisha D'Silva, the Donald A. Kerr Endowed Collegiate Professor of Oral Pathology.

Researchers from the D'Silva lab found that when DMBT1 was suppressed in head and neck cancer cells, it promoted aggressive invasion and metastasis in laboratory studies and was associated with metastasis in patients.

They also found that two proteins secreted by [head](#) and neck cancer cells suppress DMBT1 in nearby healthy tissue, subverting it to promote invasion of a small amount of cancer cells, which burrow under healthy tissue.

Researchers looked at this mechanism in mice, chick embryos and cultures of human cancer cells. In the chick embryos, none of the tumors that overexpressed DMBT1 metastasized, whereas most of the control tumors that had low DMBT1 metastasized, D'Silva said.

"The importance of this paper is that loss of DMBT1 in cancer cells and adjacent normal tissue benefits cancer cells, allowing them to travel in tiny groups away from the main tumor," she said. "That is why cancer cells enlist the help of the adjacent tissue. Finding ways to interrupt this communication and enhance DMBT1 expression could help improve outcome."

The findings, published in the *Journal of Experimental Medicine*, could open possibilities for new therapeutics that [target proteins](#) in cancer cells that regulate DMBT1 and could have implications for other cancers in which DMBT1 expression is altered, D'Silva said.

"We are familiar with cancer cells enlisting the help of other cell types to grow and spread," she said. "Our research demonstrated that cancer cells also communicate with healthy cells of their own cell type to facilitate spread."

Head and [neck cancer](#) is the sixth most common cancer in the world, with 600,000 new cases annually.

More information: Priyanka Singh et al, Squamous cell carcinoma subverts adjacent histologically normal epithelium to promote lateral invasion, *Journal of Experimental Medicine* (2021). [DOI: 10.1084/jem.20200944](#)

Provided by University of Michigan

Citation: Head and neck cancer cells hijack nearby healthy tissue, promoting further invasion of cancer cells (2021, May 26) retrieved 5 May 2024 from <https://medicalxpress.com/news/2021-05-neck-cancer-cells-hijack-nearby.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--