

Salton Sea aerosol exposure triggers unique and mysterious pulmonary response

June 23 2021



In recent decades, the Salton Sea has been undergoing a rapid retreat, causing increased exposure of dry lakebed. Credit: Stan Lim, UC Riverside.

Communities surrounding the Salton Sea, the inland body of water straddling California's Riverside and Imperial counties, show high rates

of asthma due, possibly, to high aerosol dust levels resulting from the sea shrinking over time.

Scientists suspect, however, the Salton Sea plays an additional role in pulmonary health.

A University of California, Riverside study performed on [mice](#) has found Salton Sea aerosol turns on nonallergic inflammation genes and may also promote [lung inflammation](#). For comparison, aerosolized fungal allergen (*Alternaria*)—a common household fungal allergen—produces an allergic inflammation in the lungs of mice.


"Our work strongly suggests that soluble components in Salton Sea water promote a unique inflammation-associated response," said Dr. David Lo, a distinguished professor of biomedical sciences at the UC Riverside School of Medicine, who led the study published in the journal *Science of The Total Environment*. "What relationship this response may have to asthma is not yet understood."

Lo's team exposed the mice to aerosolized suspensions generated from three separate sources: aqueous solutions of *Alternaria* filtrate, Salton Sea water, and Pacific Ocean water. Each exposure study lasted seven days and was performed in an exposure chamber and a control chamber, the latter receiving only pumped filtered air.

The researchers found exposure to aerosolized *Alternaria* triggered a dramatic allergic inflammation in the lungs of the mice. Aerosolized Salton Sea water increased B cell activity in the lung tissue of the mice; B cells are immune cells that make antibodies to fight bacteria and viruses. In contrast, mice exposed to Pacific Ocean aerosol showed no lung response.

"What's interesting is that the aerosolized Salton Sea triggered an

inflammatory response in the lungs that is clearly distinct from the characteristic allergic inflammatory responses produced by *Alternaria* exposures," said Lo, who directs UCR's Bridging Regional Ecology, Aerosolized Toxins, & Health Effects Center, or BREATHE. "What we may surmise from this is that while Salton Sea spray may not be sufficient to generate asthma alone, it could play an important role in the progression to asthma or other [inflammatory diseases](#). More research is clearly needed."



The dual chambers used in the mouse study. Credit: Lo lab, UC Riverside.

In recent years, the Salton Sea has increased in salinity and shrunk in size, generating toxic dust threatening the health of disadvantaged and vulnerable low-income communities living around the sea, many of whom are migrant workers. Primarily fed only by agricultural runoff and

inflow of three rivers, the sea is rapidly retreating, which exposes the surrounding dry lakebed or "playa" and increases the levels of aerosol dust. Childhood asthma rates in the region around the Salton Sea are 20%-22.4%, higher than the state average of 14.5%.

Lo cautioned the current work did not test the biological effects of actual dust generated at the playa.

"In this paper, we report only our first steps in identifying the potential aerosols that may be contributing to lung disease in residents near the Salton Sea," he said. "We know the Salton Sea water aerosols are neither the only contributor to inhaled aerosols nor the only source of potential [aerosol](#) toxins in the region."

Lo's group is already exploring whether the inflammatory response the researchers observed in mice serves as an aggravating factor, leading eventually to asthma; if the [inflammatory response](#) in the mice is identical to that seen in humans; and whether it's a predisposing factor for people born and raised in the Salton Sea region. For those already predisposed to asthma, the researchers are planning to study whether the inflammation resulting from Salton Sea water aerosols worsens their health outcomes.

"We are only just getting started in answering these and other questions," Lo said. "It's so early in the process that we don't even really know what disease we are looking at."

The work was done in close collaboration with scientists at the Marlan and Rosemary Bourns College of Engineering's Center for Environmental Research and Technology, or CE-CERT, and in partnership with members of the communities around the Salton Sea.

Lo was joined in the research by first author Trevor A. Biddle, Qi Li,

Mia R, Maltz, Purvi N. Tandel, Rajrupa Chakraborty, Keziyah Yisrael, Ryan Drover, and David R. Cocker III.

More information: Trevor A. Biddle et al, Salton Sea aerosol exposure in mice induces a pulmonary response distinct from allergic inflammation, *Science of The Total Environment* (2021). [DOI: 10.1016/j.scitotenv.2021.148450](https://doi.org/10.1016/j.scitotenv.2021.148450)

Provided by University of California - Riverside

Citation: Salton Sea aerosol exposure triggers unique and mysterious pulmonary response (2021, June 23) retrieved 2 May 2024 from <https://medicalxpress.com/news/2021-06-salton-sea-aerosol-exposure-triggers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.