


# Using virtual populations for clinical trials

June 23 2021

---



Effect of a flow diverter on blood flow around a brain aneurysm. Once the flow diverter is in place, it reduces blood flow to the aneurysm, allowing it to heal.

Credit: University of Leeds

A study involving virtual rather than real patients was as effective as traditional clinical trials in evaluating a medical device used to treat brain aneurysms, according to new research.

The findings are proof of concept for what are called in-silico trials, where instead of recruiting people to a real-life clinical trial, researchers

build digital simulations of patient groups, loosely akin to the way virtual populations are built in The Sims computer game.

In-silico trials could revolutionize the way clinical trials are conducted, reducing the time and costs of getting new medical devices and medicines developed, while reducing human and animal harm in testing.

The virtual patient populations are developed from clinical databases to reflect age, sex and ethnicity but they also simulate the way disease affects the human body: for example, the interactions between anatomy, physics, physiology, and [blood](#) biochemistry. Those simulations are then used to model the impact of therapies and interventions.

The international research, led by the University of Leeds and reported today (23 June) in the journal *Nature Communications*, investigated whether an in-silico trial could replicate the results of three, real-life clinical trials that assessed the effectiveness of a device called a flow diverter, used in the treatment of brain aneurysms, a disease where the wall of a blood vessel weakens and begins to bulge.

## **Flow diverter reduces blood flow into the aneurysm**

A flow diverter is a small, flexible mesh tube which is guided to the site of the aneurysm by a doctor using a catheter. Once in place, the flow diverter directs blood along the blood vessel and reduces flow into the aneurysm, initiating a clotting process that eventually cuts the aneurysm off from blood circulation, thus healing it.

Without successful treatment, the aneurysm can burst causing a bleed on the brain and a stroke.

To establish their proof of concept, the researchers had to see if the results from their in-silico study agreed with the results from three

previous major clinical trials into the effectiveness of flow diverters.

## **The 'participants' in the virtual trial**

The researchers built a virtual population using real patient data drawn from clinical databases, ensuring that the anonymised virtual patients closely resembled the patients used in real flow diverter clinical trials in terms of age, sex and [aneurysm](#) characteristics.

The researchers then built a [computational model](#) that analyzed how the implanted device would affect blood flow in each of the virtual patients. They were able to study different physiological conditions for each patient, such as normal and high blood pressure, and perform analyses on patient sub-groups, such as those with large aneurysms or aneurysms with a branch vessel.

The in-silico trial had 82 virtual cases.

The traditional clinical trials (called PUFs, PREMIER and ASPIRe) had 109, 141 and 207 patients, respectively. Around half the cases in the traditional trials had [high blood pressure](#).

The results of the in-silico trial predicted that 82.9% of the virtual patients with normal blood pressure would be successfully treated with a flow diverter. In the traditional clinical trials, the number of people who were successfully treated was 86.8%, 74.8% and 76.8%, respectively, thus showing that the in-silico trial replicated the traditional clinical trials results.

## **In-silico trials generate 'huge benefits'**

Professor Alex Frangi, Diamond Jubilee Chair in Computational

Medicine and Royal Academy of Engineering Chair in Emerging Technologies at the University of Leeds, who supervised the study, said: "The results demonstrate the huge potential of in-silico trials. We have shown that the approach can replicate the findings of traditional clinical trials—and they do that in a fraction of the time it normally takes, and at a fraction of the cost."

In the in-silico trial, the researchers were also able to adapt their computational model to investigate new hunches or emerging scientific findings.

By modeling the physics of [blood flow](#) and the biochemistry of blood clotting in aneurysms under different physiological conditions, they were able to identify sub-groups of patients at higher risk of stroke, with patients with large complex-shaped aneurysms at higher risk of haemorrhagic stroke and patients with hypertension at higher risk of ischaemic stroke.

Being able to rigorously analyze [medical device](#) performance in this way will allow biomedical engineers to optimize the device design and reduce the risks associated with treatment.

## **Clinical trials 'cut from years to months'**

Professor Frangi said: "In-silico trials offer an opportunity to do virtual experiments that could explain concepts that are difficult to study in conventional clinical trials.

"The current approach to improve our understanding of new medical devices is slow, as conventional trials can easily take five to eight years, from their design to completion.

"In-silico [trials](#) could reduce this period to less than six months in some

circumstances, making knowledge and therapeutic technologies safer and more promptly available to clinicians and patients."

The research involved an international collaboration of scientists from Leeds, the University of Oxford, Radboud University Medical Centre in the Netherlands, and KU Leuven in Belgium.

The paper—In-silico trial of intracranial flow diverters replicates and expands insights from conventional [clinical trials](#)—is published in the journal *Nature Communications*.

**More information:** In-silico trial of intracranial flow diverters replicates and expands insights from conventional clinical trials, *Nature Communications* (2021). [DOI: 10.1038/s41467-021-23998-w](https://doi.org/10.1038/s41467-021-23998-w)

Provided by University of Leeds

Citation: Using virtual populations for clinical trials (2021, June 23) retrieved 27 April 2024 from <https://medicalxpress.com/news/2021-06-virtual-populations-clinical-trials.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--