


Drug dissolved net-like structures in airways of severely ill COVID-19 patients

July 1 2021



The image to the far left is from sputum prior to treatment with the DNase drug. The one in the middle was taken 3.5 days after treatment, and the one to the far right was taken the day the patient was discharged. Credit: Lund University

When researchers at Lund University in Sweden performed advanced analyzes of sputum from the airways of severely ill COVID-19 patients, they found high levels of neutrophil extracellular traps (NETs). It is already a known fact that NETs can contribute to sputum thickness,



severe sepsis-like inflammation and thrombosis. After being treated with an already existing drug, the NETs were dissolved and patients improved. The study has now been published in *Molecular & Cellular Proteomics*.

Using advanced fluorescence microscopy, the researchers examined sputum in the airways of three severely ill COVID-19 patients. The results showed that the samples contained large amounts of one of the immune system's most important agents against bacteria: neutrophils. Neutrophils can form neutrophil extracellular traps (NETs) to capture and neutralize pathogens—primarily bacteria but also viruses.

"We are aware that NETs contribute to sputum viscosity and severe sepsis-like inflammation as well as increase risk of thrombosis i.e. blood clots. We also see these three clinical findings in severely ill COVID-19 patients," says Adam Linder, researcher at Lund University and infectious disease physician at Skåne University Hospital.

Patients with cystic fibrosis can also suffer from increased sputum viscosity. In these cases, a DNase drug is sometimes used to degrade DNA, of which NETs are primarily composed. Could the same drug have an effect on severe COVID 19 cases? A pilot study was conducted after the researchers could see in laboratory test tubes that the DNase preparation degraded the NETs. Five severely ill COVID-19 patients, who required high-flow oxygen therapy and were on the verge of needing mechanical ventilation, were treated with the preparation.

"The patients responded very well to the treatment. Dependency on oxygen therapy diminished for all of them, and they no longer needed oxygen therapy at all after four days. None of them needed to be moved to the <u>intensive care unit</u>, and all of them have recovered and been discharged," says Adam Linder.



Analyzes of the patients' sputum showed that they had high levels of NETs prior to the start of treatment, and that these levels were substantially reduced after treatment (see image).

"We have also examined other inflammation parameters using advanced mass spectrometry. Once the <u>drug treatment</u> started, the proinflammatory signaling diminished, which shows that the inflammation was subsiding. Plasma leakage and the viral load were also reduced," says Tirthankar Mohanty, researcher at Lund University.

Even if the results are positive, Adam Linder emphasizes that the study is small and that additional research is needed. The researchers are consequently carrying out a phase-2, randomized clinical trial at Skåne University Hospital to examine whether aerosolised DNase (Pulmozyme) is an effective treatment for respiratory failure in conjunction with COVID-19.

"Much of what we see in patients with this pathology could be explained by NETs, but the study needs to be repeated, and in a randomized manner. We also need to know more about when the drug should be administered for the best results," concludes Adam Linder.

More information: Jane Fisher et al, Proteome profiling of recombinant DNase therapy in reducing NETs and aiding recovery in COVID-19 patients, *Molecular & Cellular Proteomics* (2021). DOI: 10.1016/j.mcpro.2021.100113

Provided by Lund University

Citation: Drug dissolved net-like structures in airways of severely ill COVID-19 patients (2021, July 1) retrieved 6 May 2024 from https://medicalxpress.com/news/2021-07-drug-dissolved-net-



like-airways-severely.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.