

Tailoring wearable technology and telehealth in treating Parkinson's disease

August 18 2021



Credit: Pixabay/CC0 Public Domain

Wearable health technologies are vastly popular with people wanting to improve their physical and mental health. Everything from exercise, sleep patterns, calories consumed and heart rhythms can be tracked by a

wearable device.

But timely and [accurate data](#) is also especially valuable for doctors treating patients with complicated health conditions using virtual care.

A new study from the Southern Medical Program (SMP), based at UBC Okanagan, has examined the use of wearable health technology and telehealth to treat patients with Parkinson's disease.

Dr. Daryl Wile, a movement disorder specialist and SMP clinical assistant professor, routinely uses telehealth to connect with Parkinson's patients across the vast and rugged landscape of British Columbia's interior.

"Even prior to the pandemic, telehealth helped deliver specialized care to patients living in remote and rural settings," says Wile, a clinical investigator with the Centre for Chronic Disease Prevention and Management. "But with the complex nature of Parkinson's, we wanted to enhance these appointments to better understand how movements vary throughout a patient's entire day."

To add a new layer of health information, Wile and the research team added wearable technology to the equation.

"We recruited Parkinson's patients with either tremors or involuntary movements," says Joshua Yoneda, SMP student and co-author of the study. "We then divided them into two groups—some using telehealth and device-based health tracking and others attending traditional face-to-face appointments."

The telehealth group wore wearable devices to track their movements, involuntary or not, throughout waking hours. The reported data was then reviewed during telehealth appointments to identify peak times patients

experienced Parkinson's symptoms.

"With the integration of accurate and [reliable data](#) from wearable devices, we were able to tailor a patient's medication to better manage their symptoms throughout the day," adds Wile.

As part of the study, patients were asked a series of questions from the standardized Parkinson Disease Quality of Life Index. Both study groups were assessed at intervals of six weeks, three months and six months.

Overall, the patients using the [wearable](#) devices reported positive experiences and health outcomes in combination with [telehealth](#) appointments to access specialized care.

"There's definitely a strong case to leverage multiple technologies to improve a patient's quality of life and limit the added stress and cost associated with travel," says Yoneda.

More information: Dakota Peacock et al, Tailoring the use of wearable systems and telehealth for Parkinson's disease, *Parkinsonism & Related Disorders* (2021). [DOI: 10.1016/j.parkreldis.2021.07.004](https://doi.org/10.1016/j.parkreldis.2021.07.004)

Provided by University of British Columbia

Citation: Tailoring wearable technology and telehealth in treating Parkinson's disease (2021, August 18) retrieved 11 May 2024 from <https://medicalxpress.com/news/2021-08-tailoring-wearable-technology-telehealth-parkinson.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--