

Using ultrasound to improve IV catheter insertion

September 22 2021



Rick van Loon. Credit: Eindhoven University of Technology

In some patients, inserting intravenous catheters is a painful and tricky affair. Nurse anesthetist Rick van Loon of Catharina Hospital in Eindhoven has developed a technique that dramatically improves the



success rate. After specific training and with the aid of ultrasound technology, non-specialists can also master this technique. Van Loon will receive his Ph.D. on this subject from the department of Electrical Engineering on Eindhoven University of Technology on Friday, September 24. "It is my dream that in the future no patient will get a failed jab."

It is a common problem in the everyday practice of hospitals: the failure to insert intravenous catheters in <u>patients</u>. In 19 percent of cases, this process—which is known as cannulation—is unsuccessful on the first attempt, because patients have so-called 'difficult veins." In his research, Van Loon has shown that by using ultrasound technology that percentage can be brought down to just 7 percent.

"With an ultrasound machine, we can look under the skin of the arm, as it were, and detect veins that are invisible to the naked eye. Veins then become visible on the monitor of the ultrasound machine, which helps us to direct the catheter to the vein."

Anxiety and stress among patients

To determine whether a patient has difficult veins, Van Loon first developed a model to determine each patient's individual risk profile in advance; the Adult Difficult Intravenous Access (A-DIVA) scale.

With the A-DIVA scale, patients are classified according to their individual cannulation success rate. Van Loon: "We distinguish three categories: low-, moderate- and high-risk patients. In the latter group in particular, the success rate during the first attempt is low, only 6 percent."

Research also shows that those patients often experience additional anxiety and stress on top of the anxiety and stress they already have



before surgery in the hospital. The researcher has good news for this patient group: "Through my approach, we were able to bring the success rate from 6 to 94 percent. A spectacular improvement!"

The A-DIVA scale is now being used in other hospitals in the Netherlands, and hospitals in Switzerland, the United States and Australia have also shown interest in the new model. It has already been used successfully in a Portuguese <u>hospital</u>.

Special training

"If it turns out that a patient has difficult veins, you can ask someone who is more experienced to perform the procedure. Often a patient will then be taken to the operating room to have an anesthesiologist insert the catheter," Van Loon explains. However, such a procedure is inefficient, logistically complicated and very costly.

That's why he successfully developed a specific course for nurses to train them to use ultrasound when performing cannulation. Studies show that after 34 supervised ultrasound-guided procedures, more than 90 percent of the trainees were able to perform the procedure successfully at their first attempt. "So it's a steep learning curve that can be gone through quickly," says Van Loon.

Van Loon hopes that his research will help make failed cannulations less and less common. "We will never achieve one hundred percent, but any improvement in this area is great news for our patients."

More information: Difficult peripheral intravenous cannulation—decision-based application of point-of-care ultrasound to increase cannulation success. <u>pure.tue.nl/ws/portalfiles/por ...</u> <u>41/20210924 Loon.pdf</u>



Provided by Eindhoven University of Technology

Citation: Using ultrasound to improve IV catheter insertion (2021, September 22) retrieved 10 May 2024 from <u>https://medicalxpress.com/news/2021-09-ultrasound-iv-catheter-insertion.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.