

Chronic exposure to air pollution may increase risks for ICU admission or death among COVID-19 patients, study finds

December 9 2021



Credit: CC0 Public Domain

Hospitalized COVID-19 patients who had been chronically exposed in their neighborhoods to higher particulate matter—such as smoke, soot, and dirt—had increased risks for admission to the intensive care unit



(ICU) and death compared to those without such exposure, Mount Sinailed researchers reported in the *American Journal of Respiratory and Critical Care Medicine* on December 8.

The finding adds to our understanding about environmental factors that increase the risks of COVID-19. The researchers noted that chronic air pollution exposure can alter the pulmonary immune system, may increase systemic inflammation, and can be associated with increased risk for cardiovascular disease and metabolic syndrome. COVID-19 infections and deaths have also disproportionately occurred among Black, Latinx, and Indigenous populations, as well as among individuals with risk factors based on sex, age, and existing comorbid diseases such as diabetes and obesity.

"The COVID-19 pandemic has brought to the forefront the critical role of the environment on health disparities. These data suggest that long-term exposure to air pollution, even at concentrations below U.S. Environmental Protection Agency regulatory standards, is associated with higher COVID-19 morbidity and mortality amongst hospitalized patients," said corresponding author Alison Lee, MD, MS, Assistant Professor of Medicine (Pulmonary, Critical Care and Sleep Medicine), and Pediatrics, at the Icahn School of Medicine at Mount Sinai. "Critically, air pollution is a modifiable risk factor. Policies to reduce air pollution must be considered a necessary public health measure, especially in communities that are disproportionately susceptible to air pollution's deleterious effects."

A team of researchers conducted a retrospective analysis of more than 6,500 COVID-19 patients admitted to seven New York City hospitals with ethnically diverse patient populations—including Mount Sinai Morningside, Mount Sinai Queens, NYC Health + Hospitals/Elmhurst, and NYC Health + Hospitals/Queens—amid the first peak of the pandemic from March to August 2020. The researchers estimated



exposure levels to pollutants including particulate matter, nitrogen dioxide, and black carbon at the residential addresses of the patients at the time of admission. The team then assessed patient outcomes including mortality, ICU admission, and intubation. They found that chronic exposure to particulate matter, even at levels below current regulatory thresholds, was associated with an 11 percent higher risk of mortality and 13 percent higher risk of admission to the ICU. Exploratory analyses suggested that younger people of color may be particularly susceptible.

The study was developed through participation in the COVID-19 Unit for Research at Elmhurst (CURE-19) partnership, an initiative by Mount Sinai's Arnhold Institute for Global Health and NYC Health + Hospitals/Elmhurst and Queens to research the global pandemic and root causes of <u>health disparities</u> in New York City.

"There is a lot we still don't know about coronavirus, and that is why initiatives like the CURE-19 partnership are of utmost importance in the fight against this pandemic and our continued recovery," said co-author Stanley Pierre, MD, MPA, NYC Health + Hospitals/Queens Patient Safety Coordinator and Director of the Clinical Centers of Excellence Development Program. "Being able to better understand what and how environmental factors play a role in New Yorkers' health and COVID-19-associated risks not only allow us to better treat patients in the long-term, but also give us the opportunity to advocate for broader changes that can help prevent serious illness in the future."

More information: Anne Bozack et al, Long-Term Air Pollution Exposure and COVID-19 Mortality: A Patient-Level Analysis from New York City, *American Journal of Respiratory and Critical Care Medicine* (2021). DOI: 10.1164/rccm.202104-0845OC



Provided by The Mount Sinai Hospital

Citation: Chronic exposure to air pollution may increase risks for ICU admission or death among COVID-19 patients, study finds (2021, December 9) retrieved 6 May 2024 from https://medicalxpress.com/news/2021-12-chronic-exposure-air-pollution-icu.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.