

# Spiny mice can repair damaged cardiac tissue

December 9 2021, by Elizabeth Chapin

---



New UK research shows that spiny mice have the ability to repair damaged heart tissue after heart attack. Credit: University of Kentucky

Spiny mice, known for their unique ability to regrow lost skin, may also be able to preserve injured cardiac tissue according to a new study conducted by a research team from the University of Kentucky College of Medicine and College of Arts and Sciences.

The research published in *Nature Regenerative Medicine* shows a unique ability of this mammalian species to grow new blood vessels and reduce cardiac tissue damage after a [heart](#) attack, making it a promising new model for cardiac research, says Ashley Seifert, Ph.D., an associate professor in the College of Arts and Sciences' Department of Biology.

Heart disease is the leading cause of death in the U.S., causing about one in four deaths. The most common type of [heart disease](#) is coronary artery disease (CAD), which can lead to heart attack. Unfortunately, there are no approved therapies that can heal heart muscle after a heart attack.

"The research team has been developing the spiny mouse model of complex tissue regeneration since discovering that they were capable of regrowing skin and ear tissue after injury. Despite these studies, it had not yet been investigated how these animals respond to heart injury," Seifert said. "We aim to utilize knowledge gained from our work with spiny mice to inform effective and successful therapies for the millions of patients who develop heart failure every year."

The use of spiny mice as a novel model for heart disease requires transdisciplinary expertise, with the research team including experts from across UK. The new study was co-led by Ahmed Abdel-Latif, M.D., Ph.D., associate professor in the College of Medicine's Department of Internal Medicine and interventional cardiologist with the UK Gill Heart and Vascular Institute, and Jonathan Satin, Ph.D., professor in the Department of Physiology.

The research team studied heart anatomy and function in spiny mice and two strains of lab mice commonly used in cardiac research. In parallel with their work, a second research team based at Utrecht University published [similar findings](#) in the same journal. In response to heart attack, both groups quantified comparable levels of initial cardiac

damage, but the spiny mice were able to heal faster with better cardiac function, higher survival rates and smaller scar sizes compared to laboratory mice.

The UK team found that unique characteristics of heart cells in spiny mice correlated with increased reproduction of endothelial cells and development of new blood vessels associated with healing. This study is significant as it establishes the spiny mouse as an important model of cardiac healing and allows the understanding of important mechanisms that lead to new blood vessel formation and preventing the development of heart failure.

The findings lay the groundwork for follow-up studies that could potentially lead to new therapeutic strategies for ischemic heart disease, or heart problems caused by narrow arteries.

According to the paper, future studies will focus on the mechanism and potential for these phenotypic differences to foster myocardial healing, which could uncover important therapeutic targets for millions of patients who develop ischemic cardiomyopathy after heart attack.

"As a physician-scientist involved in designing and conducting multiple clinical studies in patients with heart attack, I find this study very interesting," said Abdel-Latif. "For the first time, we have an adult animal model that can efficiently grow [new blood vessels](#) and preserve [cardiac tissue](#) after a heart attack. Unfortunately, this phenomenon is lacking in the patients I manage on daily basis who progress to develop irreversible cardiac damage and heart failure after a [heart attack](#). There are many lessons we can learn from this model that can inform future translational human studies."

This transdisciplinary team effort included researchers from UK's College of Arts and Sciences, the Saha Cardiovascular Research Center,

the College of Medicine's Department of Physiology, Gill Heart and Vascular Institute and Division of Cardiovascular Medicine and Temple University.

"This work is made possible at the University of Kentucky by the open collaborative environment across colleges and from the clinic to basic science benches," said Satin. "On top of generating new knowledge, this open sharing of expertise creates a wonderful training environment for all levels of learners."

**More information:** Hsuan Peng et al, Adult spiny mice (*Acomys*) exhibit endogenous cardiac recovery in response to myocardial infarction, *npj Regenerative Medicine* (2021). [DOI: 10.1038/s41536-021-00186-4](https://doi.org/10.1038/s41536-021-00186-4)

Provided by University of Kentucky

Citation: Spiny mice can repair damaged cardiac tissue (2021, December 9) retrieved 16 June 2024 from <https://medicalxpress.com/news/2021-12-spiny-mice-cardiac-tissue.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
---