

Music combined with auditory beat stimulation may reduce anxiety for some

March 9 2022



Someone listening to music. Credit: Mark Rohan, Unsplash, CC0
(creativecommons.org/publicdomain/zero/1.0/)

Treatments integrating music and auditory beat stimulation are effective in reducing state anxiety in some patients, according to a new study

published this week in the open-access journal *PLOS ONE* by Adiel Mallik and Frank Russo of the Ryerson University, Canada.

Anxiety has been steadily increasing, particularly in the adolescent and young adult populations, over recent decades. Studies have previously shown that listening to music can reduce anxiety, perhaps even more effectively than some anti-anxiety medications. However, [quantitative data](#) on the effects of personalized music on anxiety has been lacking.

In the new study, the researchers randomized 163 patients taking anti-anxiety medications to participate in an at-home treatment session involving music, auditory beat stimulation, both, or pink noise—background sounds similar to white noise. The music was selected for each patient using LUCID's artificial intelligence which curates music based on the patient's [emotional state](#) and music preferences. Auditory beat stimulation involves combinations of tones, played in one or both ears, designed to trigger changes to brain activity. In all groups, patients were asked to download a customized application on their smart phone for the treatment, close their eyes, and listen to a 24-minute session.

Among people with moderate anxiety before the treatment session, greater reductions in somatic anxiety—the physical symptoms of anxiety—were seen in people who listened to both music and ABS ($p=0.04$, effect size=0.83), or those who listened to music alone ($p=0.05$, effect size=0.52), compared to those who listened to pink noise. The greatest reductions in cognitive state anxiety—the aspect of anxiety related to thoughts and feelings—were also seen in moderate trait anxiety participants who listened to both music and ABS. Among people with high trait anxiety before the session, the music-alone group had significantly higher reductions in anxiety compared to the ABS-alone group ($p=0.04$, effect size=0.72).

The authors conclude that sound-based treatments can be effective in reducing state anxiety and potentially offer a simple and easily distributable method of treating anxiety in a segment of the population.

Drs. Russo and Malik add: "With the pandemic and remote work, there has been a remarkable uptick in the use of digital health tools to support [mental health](#). The results of this clinical trial indicate great promise for the use of digital health tools, such as LUCID's digital music therapy, in the management of anxiety and other mental health conditions."

"The findings from this research are exciting as they indicate that personalized music shows great promise in effectively reducing anxiety in specific segments of the population that suffer from anxiety. Hopefully, with additional research, we can help build a solid evidence base which further supports the use of personalized [music](#) as an additional tool in the clinician's toolbox that can be used to help reduce [anxiety](#) in the patient population."

More information: Mallik A, Russo FA (2022) The effects of music & auditory beat stimulation on anxiety. *PLoS ONE* 17(1): e0259312. doi.org/10.1371/journal.pone.0259312

Provided by Public Library of Science

Citation: Music combined with auditory beat stimulation may reduce anxiety for some (2022, March 9) retrieved 16 June 2024 from <https://medicalxpress.com/news/2022-03-music-combined-auditory-anxiety.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
