


Ultrasmall metal oxide radiosensitizers for cancer radiation therapy

March 11 2022



2 μ m

Inside the cell: Nanoparticles of hafnium dioxide (yellow-green) accumulate in cancer cells and can cause cell damage after irradiation. (Electron microscopy, colored). Credit: Empa/ ETH Zurich

Today, treatment methods are available for cancer that complement each other. Radiation therapy is frequently used, and can be combined with surgery and chemotherapy, for example. Although treatment with ionizing radiation has been used in medicine for more than 100 years, even modern oncology is sometimes not satisfied with its effectiveness. The reason: Malignant tumors are not always sensitive enough to radiation. "If the sensitivity of the tumor cells could be increased, radiotherapy could be carried out more effectively and more gently," says Empa researcher Lukas Gerken.

In other words: A desired treatment outcome could be achieved with a lower dose of radiation than is currently the case, or particularly radiation-resistant tumors could finally become sensitive to radiation. The team led by Lukas Gerken and Inge Herrmann from the Particles-Biology Interactions Laboratory at Empa in St. Gallen and the Nanoparticle Systems Engineering Laboratory at ETH Zurich is therefore working with oncologists at the Cantonal Hospital in St. Gallen to find ways to sensitize [tumor cells](#) to radiation.

The researchers have set their sights on nanoparticles made of metal oxides that can act as so-called radiosensitizers. The team has now succeeded in producing these radiosensitizers in large quantities and analyzing their effect in more detail. The researchers recently published their results in the journal *Chemistry of Materials*.

Cured in the fire

In [cancer research](#), studies are currently underway with various classes of substances to make the irradiation of tumors more effective. Exactly how nanoparticles made of gold or more exotic metal oxides such as hafnium dioxide work in this context is not yet fully understood. What is known, though, is that a complex reaction cascade exerts oxidative stress in [cancer cells](#). In this way, the repair mechanisms of the malignant cells

may be overwhelmed.



Fire and Ice: Empa researcher Lukas Gerken produces nanoparticles for cancer therapy using flame synthesis. To make the tiny metal particles visible, the electron microscope is cooled to freezing temperatures with liquid nitrogen. Credit: Empa

In order for the nanoparticles to be made available for [clinical use](#), two hurdles had to be overcome: Production via conventional wet chemistry methods makes it difficult to produce quantities on an industrial scale, and there is a lack of comparative analyses on the efficacy of different substances.

Empa researcher Gerken has now succeeded in producing metal oxide radiosensitizers using a method that is ideally suited to [industrial applications](#): He relied on flame synthesis to obtain top-quality oxides of hafnium, zirconium and titanium. "Thanks to this production method, it is even possible—depending on the production facility—to synthesize several kilograms per day," explains Gerken. For the laboratory analyses at Empa, however, the scientist made do with just a few grams.

Better than gold

Once the nanoparticles were available in suitable quantities, Lukas Gerken was able to screen the "gems" in detail, for example using X-ray spectroscopy and electron microscopy. His verdict: "We can produce sterile, high-quality metal oxide nanoparticles that appear harmless to [healthy cells](#)," the researcher explains. He proved this using cell cultures that he treated with different nanoparticle suspensions in the lab. The metal oxides accumulated in large quantities inside the cells. The front-runner was hafnium dioxide: Here, a half-billion nanoparticles entered each individual cell without being toxic. Compared to the metal oxides, nanogold did much worse with the same [particle size](#): About 10 to 30 times fewer gold particles made it into the cell.

As harmless as the substances initially are to healthy cells, they unfold their effects powerfully when used in radiation. The team was able to demonstrate this using cancer cell lines. If the cell cultures were treated with [metal oxides](#) and then bombarded with X-rays, the killing effect increased significantly. Hafnium dioxide turned out to be the most potent tool: Tumor cells treated with hafnium particles could be eliminated with less than half the radiation dose. This first comparative study also showed that hafnium dioxide is even four times more effective than nanogold and titanium dioxide. Healthy human cells (so-called fibroblasts), on the other hand, showed no negative radiation effects after nanoparticle treatment.

Gerken says, "We will continue on this path to explore the nanoparticles' mechanism of action and further optimize their efficiency." He hopes that his studies will thus advance the clinical application of nanoparticles in [radiation therapy](#).

More information: Lukas R.H. Gerken et al, Scalable Synthesis of Ultrasmall Metal Oxide Radio-Enhancers Outperforming Gold, *Chemistry of Materials* (2021). [DOI: 10.1021/acs.chemmater.0c04565](https://doi.org/10.1021/acs.chemmater.0c04565)

Provided by Swiss Federal Laboratories for Materials Science and Technology

Citation: Ultrasmall metal oxide radiosensitizers for cancer radiation therapy (2022, March 11) retrieved 8 May 2024 from <https://medicalxpress.com/news/2022-03-ultrasmall-metal-oxide-radiosensitizers-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.