

# Third dose of COVID-19 vaccine significantly increases immune responses in most patients with multiple myeloma

April 6 2022

---



Credit: Pixabay/CC0 Public Domain

Most immunocompromised people with a blood cancer called multiple

myeloma benefited from a third dose of COVID-19 vaccines, a promising sign after it was shown that two doses tended to not be sufficient for them. However, some people with multiple myeloma still remained vulnerable and may need a fourth dose or antibody treatments as restrictions lift and new variants emerge, according to a fast-tracked study in *Cancer Cell*.

"This study is the first to comprehensively capture the immune effect of the third dose of the COVID-19 vaccine in patients with plasma cell disorders and blood cancers like multiple [myeloma](#)," said one of the study's lead authors, Samir Parekh, MD, Director of Translational Research in Multiple Myeloma at The Tisch Cancer Institute at Mount Sinai and Professor of Medicine (Hematology and Medical Oncology), and Oncological Sciences, at the Icahn School of Medicine at Mount Sinai. "It provides guidance to myeloma patients, who are at risk for severe infection because they may be immunocompromised due to the disease itself and the cancer treatment."

Mount Sinai's previous research had shown that breakthrough infections occurred in multiple myeloma patients due to poor or no response to the normal regimen of COVID-19 vaccines, the majority of which were the two-dose mRNA vaccines. These vulnerable patients' lack of complete protection led to antibody testing and a third vaccine in hopes that this would increase the immune response. This study was important in understanding whether vulnerable patients were adequately protected by the third dose or needed to continue to follow strict social distancing and masking or seek additional vaccines or treatments when available.

In this latest study, blood samples were collected from 476 patients with plasma cell disorders over a period of 15 months and were compared to samples collected from healthy, vaccinated health care workers. The findings showed that the third dose significantly increased the level of antibodies in patients with and without prior COVID-19 infection but

levels of COVID-19-fighting antibodies in multiple myeloma patients remained below those observed in healthy people.

Just more than a quarter of the multiple myeloma patients had no detectable antibodies after the standard two doses of the vaccine, but in these patients, 88 percent developed antibodies after a third dose. The third dose also resulted in a significant increase of other immune cells such as T cells and B cells, which also help neutralize COVID-19.

After the third dose, neutralization of the wild-type virus increased in multiple myeloma patients in patients who had minimal or no response to the standard two doses. However, neutralizing titers against the Omicron variant was still lower in myeloma patients as compared to healthy controls. Therefore, a subset of patients may still remain vulnerable to SARS-CoV-2 infection.

"Our findings underscore the need for continued monitoring of immune responses and further research around measures such as additional vaccine doses or passive immunization for individual multiple myeloma patients who may remain vulnerable after third-dose vaccination, especially as COVID-19 restrictions are being lifted worldwide and new waves of viral variants are emerging," said the study's other lead author, Viviana A. Simon, MD, Ph.D., Professor of Microbiology, Infectious Diseases, and Pathology, Molecular and Cell Based Medicine at the Icahn School of Medicine at Mount Sinai.

**More information:** Adolfo Aleman et al, Augmentation of humoral and cellular immune responses after third-dose SARS-CoV-2 vaccination and associated viral neutralization in myeloma patients, *Cancer Cell* (2022). [DOI: 10.1016/j.ccell.2022.03.013](https://doi.org/10.1016/j.ccell.2022.03.013)

Provided by The Mount Sinai Hospital

Citation: Third dose of COVID-19 vaccine significantly increases immune responses in most patients with multiple myeloma (2022, April 6) retrieved 11 May 2024 from <https://medicalxpress.com/news/2022-04-dose-covid-vaccine-significantly-immune.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.