


# New study finds low-income patients at higher risk of death after heart attack

May 19 2022

---



Credit: Pixabay/CC0 Public Domain

Results from a retrospective analysis reveal significantly higher mortality rates for low-income residents hospitalized with ST-elevation myocardial infarction (STEMI) when compared to higher-income residents. The findings were presented today at the Society for Cardiovascular Angiography & Interventions (SCAI) 2022 Scientific Sessions.

Low socioeconomic status has been associated with worse clinical outcomes in cardiovascular diseases. STEMI is a type of heart attack that mainly affects the heart's lower chambers and can be more severe and dangerous compared to other types of heart attack. While research demonstrates there is a link between [income level](#) and co-morbidities, little is known on the impact of patient's income level and in-[hospital mortality](#) after STEMI.

Authors identified all [adult patients](#) who were admitted with STEMI and divided them in four quartiles based on the median household income of the zip code of the patient's residence. Among 639,300 STEMI hospitalizations, 184,150 (35.1%) were lowest income residents and 123,815 (19.4%) were highest income residents.

Study findings include:

- The lowest income residents had higher all-cause mortality, length of stay, rate of invasive mechanical ventilation and lower inflation-adjusted cost compared to the highest income residents. The lowest income residents had an 11.8% rate of mortality and the highest income residents had a 10.4% mortality rate.
- Age: Lowest income residents tended to be younger (mean age of 63.5) compared to the highest income residents (mean age of 65.7).
- Gender: There were more females in the lowest income group (35.7%) compared to the highest income group (29.8%).
- Race/Ethnicity: Lowest income residents had highest proportion of black, Hispanic, native Americans patients and lowest proportion of white and Asian or pacific islander patients compared to the other groups.
- Location: The highest income residents had more hospitalizations in urban hospitals while the lowest income residents had more hospitalizations in rural hospitals compared to other groups.

- **Cost Per Hospitalization:** While the mortality rate for the lowest income residents was higher, the cost per hospitalization was lower compared to highest income residents (\$26,503 compared to \$30,540).

A [retrospective analysis](#) of adult discharges from the National Inpatient Sample (NIS) was conducted between 2016 and 2018 using ICD codes to identify STEMI patients. Patients were divided into quartiles based on the median household income of the zip code of the patient's residence provided by NIS. Study models were adjusted for several patient-level and hospital-level characteristics. Prevalence estimates were weighted using NIS-provided discharge-level weights to reflect national estimates.

"This study underscores the growing need to close the health disparities divide that is disproportionately impacting the patients who live in low-income areas," said Abdul Mannan Khan Minhas, MD, with Hattiesburg Clinic Hospital Care Service in Hattiesburg, Miss. and lead researcher of the study. "As physicians, it's imperative that we help everyone get access to high-quality medical care and look with a broader lens at the social and [economic factors](#) that could contribute to stark differences in outcomes."

**More information:** Conference: [scai.org/scai2022](https://scai.org/scai2022)

Provided by Society for Cardiovascular Angiography and Interventions

Citation: New study finds low-income patients at higher risk of death after heart attack (2022, May 19) retrieved 26 April 2024 from <https://medicalxpress.com/news/2022-05-low-income-patients-higher-death-heart.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.