


What is monkeypox and where is it spreading?

May 19 2022, by Maria Cheng



This 2003 electron microscope image made available by the Centers for Disease Control and Prevention shows mature, oval-shaped monkeypox virions, left, and spherical immature virions, right, obtained from a sample of human skin associated with the 2003 prairie dog outbreak. Monkeypox, a disease that rarely appears outside Africa, has been identified by European and American health authorities in recent days. Credit: Cynthia S. Goldsmith, Russell Regner/CDC via AP

European and American health authorities have identified a number of monkeypox cases in recent days, mostly in young men. It's a surprising outbreak of a disease that rarely appears outside Africa.

Health officials around the world are keeping watch for more cases because, for the first time, the disease appears to be spreading among people who didn't travel to Africa. They stress, however, that the risk to the general population is low.

WHAT IS MONKEYPOX?

Monkeypox is a virus that originates in wild animals like rodents and primates, and occasionally jumps to people. Most human cases have been in central and west Africa, where the disease is endemic.

The illness was first identified by scientists in 1958 when there were two outbreaks of a "pox-like" disease in research monkeys—thus the name monkeypox. The first known human infection was in 1970, in a 9-year-old boy in a remote part of Congo.

WHAT ARE THE SYMPTOMS AND HOW IS IT TREATED?

[Monkeypox](#) belongs to the same virus family as smallpox but causes milder symptoms.

Most patients only experience fever, body aches, chills and fatigue. People with more serious illness may develop a rash and lesions on the face and hands that can spread to other parts of the body.

The incubation period is from about five days to three weeks. Most people recover within about two to four weeks without needing to be hospitalized.

Monkeypox can be fatal for up to one in 10 people and is thought to be more severe in children.

People exposed to the virus are often given one of several smallpox vaccines, which have been shown to be effective against monkeypox. Anti-viral drugs are also being developed.

On Thursday, the European Centre for Disease Prevention and Control recommended all suspected cases be isolated and that high-risk contacts be offered the smallpox vaccine.

HOW MANY MONKEYPOX CASES ARE THERE TYPICALLY?

The World Health Organization estimates there are thousands of monkeypox infections in about a dozen African countries every year. Most are in Congo, which reports about 6,000 cases annually, and Nigeria, with about 3,000 cases a year.

Patchy health monitoring systems mean many infected people are likely missed, experts say.

Isolated cases of monkeypox are occasionally spotted outside Africa, including in the U.S. and Britain. The cases are typically associated with travel to Africa or contact with animals from areas where the disease is more common.

In 2003, 47 people in six U.S. states had confirmed or probable cases. They [caught the virus](#) from pet prairie dogs that been housed near imported small mammals from Ghana.

WHAT'S DIFFERENT ABOUT THESE CASES?

It's the first time monkeypox appears to be spreading among people who

didn't travel to Africa. Most of the cases involve men who have had sex with men.

In Europe, infections have been reported in Britain, Italy, Portugal, Spain and Sweden.

Britain's Health Security Agency said its cases are not all connected, suggesting that there are multiple chains of transmission happening. The infections in Portugal were picked up at a sexual health clinic, where the men sought help for lesions on their genitals.

On Wednesday, U.S. officials reported a case of monkeypox in a man who had recently traveled to Canada. The Public Health Agency of Canada also confirmed two cases related to that positive test. Health officials in Quebec earlier said they suspected 17 cases in the Montreal area.

IS MONKEYPOX BEING SPREAD THROUGH SEX?

It's possible, but it's unclear at the moment.

Monkeypox has not previously been documented to have spread through sex, but it can be transmitted through close contact with infected people, their body fluids and their clothing or bedsheets.

Michael Skinner, a virologist at Imperial College London, said it's still too early to determine how the men in the U.K. were infected.

"By nature, sexual activity involves intimate contact, which one would expect to increase the likelihood of transmission, whatever a person's sexual orientation and irrespective of the mode of transmission," Skinner said.

Francois Balloux of University College London said monkeypox said sex qualifies as the kind of close contact needed to transmit the disease.

The U.K. cases "do not necessarily imply any recent change in the virus' route of transmission," Balloux said.

© 2022 The Associated Press. All rights reserved. This material may not be published, broadcast, rewritten or redistributed without permission.

Citation: What is monkeypox and where is it spreading? (2022, May 19) retrieved 3 May 2024 from <https://medicalxpress.com/news/2022-05-monkeypox.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--