

Study shows link between cyberbullying and suicidality in early adolescence

June 27 2022



Credit: Unsplash/CC0 Public Domain

Young adolescents who are targets of cyberbullying are more likely to report suicidal thoughts and attempts, an association that goes above and beyond the link between suicidality and traditional offline bullying,

according to new research from the Lifespan Brain Institute (LiBI) of Children's Hospital of Philadelphia (CHOP) and the University of Pennsylvania. The findings were published today in *JAMA Network Open*.

"At a time when [young adolescents](#) are spending more time online than ever before, this study underscores the negative impact that bullying in the [virtual space](#) can have on its targets," said senior author Ran Barzilay, MD, Ph.D., an assistant professor at LiBI. "Given these results, it may be prudent for primary care providers to screen for cyberbullying routinely in the same way that they might screen for other suicide risk factors like depression. Educators and parents should also be aware of the substantial stress bullying in the cyberworld places on young adolescents."

Suicide rates among children have been steadily rising. According to the CDC, suicide was the second leading cause of death among individuals between the ages of 10 and 24 in 2018. The factors contributing to suicidality in children and adolescents are not fully understood, but research has shown that environmental stressors play a role. Traditional bullying and peer victimization are well established suicide risk factors among youth.

In [modern times](#), and particularly since the COVID-19 pandemic, a substantial proportion of peer interaction, including bullying, occurs online, through text messages or [social media platforms](#). However, prior to this study, it was not clear whether being a target of cyberbullying is an independent risk factor for suicidality.

To better understand whether cyberbullying is unique in its association with suicidality in [early adolescence](#), the researchers collaborated with Anat Brunstein Klomek, Ph.D. at Baruch Ivcher School of Psychology at Reichman University in Israel. Together, the researchers analyzed data collected between July 2018 and January 2021 from the Adolescent

Brain Cognitive Development study (ABCD Study), a diverse sample of over 10,000 US children between the ages of 10 and 13.

As part of the ABCD Study, participants filled out a cyberbullying questionnaire, which asked whether they had ever been a target or perpetrator of cyberbullying, defined as "purposefully trying to harm another person or be mean to them online, in texts or group texts, or on [social media](#) (like Instagram or Snapchat)." Traditional offline bullying was surveyed through a separate questionnaire, which broke down behavior into three categories: overt aggression, such as threatening or hitting; relational aggression, such as not inviting or leaving someone out; and reputational aggression, such as spreading rumors or gossiping.

To determine suicidality, the researchers examined whether participants reported past or current suicidal thoughts or acts.

Of the 10,414 ABCD Study participants included in the study, 7.6% responded that they had experienced [suicidal thoughts](#) or acts, 8.9% reported being targets of cyberbullying, and 0.9% reported cyberbullying others. The authors found that being a target of cyberbullying was associated with suicidality, whereas being a perpetrator of cyberbullying was not. That finding was distinct from traditional offline bullying, where being either a target or perpetrator of bullying is linked with suicidality.

Additionally, the researchers found that being bullied online only partly overlaps with being bullied offline, supporting the notion that cyberbullying is a distinct phenomenon, independent of offline experiences of bullying. This may suggest that adolescents affected by cyberbullying are different from those affected by offline bullying.

"Our findings suggest being a target of [cyberbullying](#) is an [independent risk factor](#) for youth suicidality," Dr. Barzilay said. "For [policy makers](#)

wishing to optimize youth suicide prevention efforts, this study should further encourage interventions for those who are being bullied online."

More information: Association of Cyberbullying Experiences and Perpetration with Suicidality in Early Adolescence, *JAMA Network Open* (2022). [DOI: 10.1001/jamanetworkopen.2022.18746](https://doi.org/10.1001/jamanetworkopen.2022.18746)

Provided by Children's Hospital of Philadelphia

Citation: Study shows link between cyberbullying and suicidality in early adolescence (2022, June 27) retrieved 27 April 2024 from <https://medicalxpress.com/news/2022-06-link-cyberbullying-suicidality-early-adolescence.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.