


Study strengthens evidence of link between air pollution and child brain development

July 13 2022, by Jake Ellison



Shown are the estimated effects of air pollution exposures on child Total Problems score and IQ by child sex (male vs. female) in participants from the three U.S. pregnancy cohorts in the ECHO-PATHWAYS Consortium (the CANDLE, TIDES, and GAPPS study). NO₂ and PM_{2.5} in each window were rescaled to 2-unit increments. In addition to the interaction term between individual air pollution exposures in each window and child sex, the linear regressions were adjusted for child sex, child age at outcome assessments, study site, child race, maternal education, log-transformed region- and inflation-adjusted household income, household members, an interaction between household members and income, marital status, maternal age at delivery, birth order, pregnancy smoking, pregnancy alcohol consumption, maternal depression, maternal IQ, child secondhand smoking exposure, and Child Opportunity Index (the domains of educational and economic opportunity) in corresponding

windows with PM_{2.5} and NO₂ exposures. An indicator of CBCL forms was additionally included in the analysis of Total Problems score. The p-value indicates the statistical significance of the interaction term. The symbols of triangles and circles indicate the effect estimate, the error bars show 95% confidence intervals, and the dotted lines show null values. Numeric data (including sample size for each association) are shown in Table S3. Note: CANDLE, Conditions Affecting Neurocognitive Development and Learning in Early Childhood; CBCL, Child Behavior Checklist; ECHO, Environmental Influences on Child Health Outcomes; GAPPS, Global Alliance to Prevent Prematurity and Stillbirth; IQ, intelligence quotient; TIDES, The Infant Development and Environment Study. Credit: *Environmental Health Perspectives* (2022). DOI: 10.1289/EHP10248

Air pollution is not just a problem for lungs. Increasingly, research suggests air pollution can influence childhood behavioral problems and even IQ. A new study led by the University of Washington has added evidence showing that both prenatal and postnatal exposure to air pollution can harm kids.

The study, published in *Environmental Health Perspectives*, found that children whose mothers experienced higher nitrogen dioxide (NO₂) exposure during pregnancy, particularly in the first and [second trimester](#), were more likely to have [behavioral problems](#).

Researchers also reported that higher exposures to small-particle [air pollution](#) (PM_{2.5}) when children were two to four years old was associated with poorer child behavioral functioning and cognitive performance.

"Even in cities like Seattle or San Francisco, which have a lot of traffic but where the [pollution levels](#) are still relatively low, we found that children with higher prenatal NO₂ exposure had more behavioral

problems, especially with NO₂ exposure in the first and second trimester," said Yu Ni, lead author and a postdoctoral scholar in the Department of Environmental & Occupational Health Sciences.

The study involved data gathered from 1,967 mothers recruited during pregnancy from six cities: Memphis, Tennessee; Minneapolis; Rochester, N.Y.; San Francisco; and two in Washington, Seattle and Yakima. Originally, these participants were enrolled as part of three separate studies: CANDLE, GAPPS and TIDES. The three studies have been combined under a major NIH initiative called ECHO, which brings together multiple pregnancy cohorts to address key child health concerns. These three combined cohorts are known as the ECHO PATHWAYS consortium.

The study employed a state-of-the-art model of air pollution levels in the United States over time and space that was developed at the University of Washington. Using participant address information, the researchers were able to estimate each mother and child's exposures during the pregnancy period and [early childhood](#).

Exposure to NO₂ and PM_{2.5} pollution in [early life](#) is important to understand, Ni said, because "there are known biological mechanisms that can link a mother's inhalation of these pollutants to effects on placenta and [fetal brain development](#)."

Furthermore, once the child is born, the first few years are a critical time of ongoing brain development as the number of neural connections explodes and the brain reaches 90% of its future adult size, the researchers write. For [young children](#), inhaled pollutants that invade deep in the lung and enter the central nervous system can cause damage in areas relevant for behavioral and cognitive function.

"This study reinforces the unique vulnerability of children to air

pollution—both in fetal life where major organ development and function occurs as well as into childhood when those processes continue. These early life perturbations can have lasting impacts on lifelong brain function. This study underscores the importance of air pollution as a preventable risk factor for healthy child neurodevelopment," said senior author Dr. Catherine Karr, a professor in the UW School of Public Health and School of Medicine.

More specifically, the researchers found that exposure to PM_{2.5} pollution was generally associated with more behavioral problems in girls than in boys, and that the adverse effect of PM_{2.5} exposure in the second trimester on IQ was stronger in boys.

"We hope the evidence from this study will contribute to informed policymaking in the future," Ni said. "In terms of reducing air pollution, the U.S. has gone a long way under the Clean Air Act, but there are threats to continued improvement in the nation's air quality. The evidence suggests there is reason to bring the level of air pollution down even further as we better understand the vulnerability of pregnant women and children."

More information: Yu Ni et al, Associations of Pre- and Postnatal Air Pollution Exposures with Child Behavioral Problems and Cognitive Performance: A U.S. Multi-Cohort Study, *Environmental Health Perspectives* (2022). [DOI: 10.1289/EHP10248](https://doi.org/10.1289/EHP10248)

Provided by University of Washington

Citation: Study strengthens evidence of link between air pollution and child brain development (2022, July 13) retrieved 27 April 2024 from <https://medicalxpress.com/news/2022-07-evidence-link-air-pollution-child.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.