

Call to screen women for heart disease after complicated pregnancies

July 27 2022, by Lee Gaskin



Credit: Pixabay/CC0 Public Domain

Women with complicated pregnancies are often unaware of their higher risk of heart disease, Australian researchers warn in a new paper published in the journal *PLOS ONE*.

Major complications including [high blood pressure](#), preeclampsia or gestational diabetes during [pregnancy](#) can increase the risk of developing cardiovascular disease by two to three times compared to women with uncomplicated pregnancy. Awareness however, remains low, the South Australian study found.

Researchers from the University of Adelaide's Robinson Research Institute (RRI) and Flinders University conducted in-depth interviews with 26 [pregnant women](#) and found the majority did not know about the link between major pregnancy complications and risk of [heart](#) disease.

Lead author Dr. Prabha Andraweera said that the focus group discussions with 13 women with pregnancy complications and 13 who had healthy pregnancies were held at the Lyell McEwin Hospital to assess whether women were aware of this risk.

"We wanted to know about young mothers' perceptions about the risks to their future health after having a major pregnancy [complication](#), so we asked them in focus groups and by a questionnaire," said Dr. Andraweera, who is a Lecturer and Postdoctoral Research Fellow at the RRI and the Adelaide Medical School, University of Adelaide.

"The women we interviewed in the study would like to be told how to look after their heart health during their pregnancy and after pregnancy, but they did not think information in pamphlets was helpful.

"The women also thought that they should be given an appointment to attend the hospital for cardiovascular risk screening after pregnancy and that the appointment date should be given before they go home with their new baby."

"We wanted to know about young mothers' perceptions about the risks to their [future health](#) after having a major pregnancy complication... the

women we interviewed in the study would like to be told how to look after their heart health during their pregnancy and after pregnancy," says Dr. Prabha Andraweera, lecturer and postdoctoral research fellow at the Robinson Research Institute, Adelaide Medical School, University of Adelaide.

Matthew Flinders Professor, Claire Roberts, from Flinders University, noted that women who had experienced gestational diabetes had greater awareness of the risk of developing type 2 diabetes.

"This is likely due to the fact there is a national [gestational diabetes](#) registry and women are advised to have regular testing for [blood glucose levels](#)," Professor Roberts said.

"Our study shows that women want information and are keen to engage with postnatal health professionals to prevent future heart disease.

"Feedback from the study found almost all of the women would be happy to attend a regular heart health clinic after their baby is born and many liked the idea of a hospital-based clinic because they were used to having regular visits during their pregnancy."

Meanwhile, co-author Associate Professor Margaret Arstall, the Director of Cardiology at the Lyell McEwin Hospital, has established a hospital-based clinic for [women](#) who have experienced a major pregnancy complication that provides testing and counseling at six and 18 months after the birth of their baby.

The article, "Pregnancy complications and [cardiovascular disease](#) risk perception: A qualitative study," (2022) has been published online in *PLOS One*.

More information: Prabha H. Andraweera et al, Pregnancy

complications and cardiovascular disease risk perception: A qualitative study, *PLOS ONE* (2022). [DOI: 10.1371/journal.pone.0271722](https://doi.org/10.1371/journal.pone.0271722)

Provided by University of Adelaide

Citation: Call to screen women for heart disease after complicated pregnancies (2022, July 27) retrieved 19 April 2024 from <https://medicalxpress.com/news/2022-07-screen-women-heart-disease-complicated.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.