


# Vitamin B5 activates brown fat, aids weight loss in mice

July 27 2022

## BAT activation by pantothenate protects against obesity



AMERICAN JOURNAL OF PHYSIOLOGY  
**ENDOCRINOLOGY  
AND METABOLISM.** © 2022

  
american  
physiological  
society

Graphical abstract. Credit: *American Journal of Physiology-Endocrinology and Metabolism* (2022). DOI: 10.1152/ajpendo.00293.2021

Pantothenate acid, also known as vitamin B5, stimulated the production of brown fat in both cell cultures and mice, a new study finds. The study is published ahead of print in the *American Journal of Physiology-Endocrinology and Metabolism*. It was chosen as an APSselect article for July.

"We identified [pantothenate acid] as an effective [[brown fat](#)] activator that can prevent obesity and may represent a promising strategy for the clinical treatment of obesity and related metabolic diseases," the researchers wrote.

Unlike the more common [white fat](#), brown fat burns calories to produce heat. Under particular conditions, white fat can be converted to brown fat. Scientists have been investigating the behavior of brown fat and methods of converting white fat in hope of finding treatments for obesity.

The research team selected vitamin B5 from among compounds that showed potential because of its safety and ease of access. They treated [cell cultures](#) of human tissue with vitamin B5. After six days, the cells showed a rise in a number of markers that indicate an increase in mitochondria—a part of the cell that burns calories and which brown fat has in greater quantity than white fat. Staining the tissue also demonstrated an increase in brown fat.

They then fed male mice a [high-fat diet](#) and treated them for 11 weeks with either vitamin B5 or a saline solution as a control. The vitamin B5-treated high-fat mice showed reduced fat not only overall but, specifically, less fat just under the skin and in the liver compared to those not given vitamin B5. The two groups had a comparable amount of muscle, a sign the [weight loss](#) was from reduction in fat.

In addition to fat loss, the vitamin B5-treated mice also showed

significant reduction in [fatty liver disease](#), lower blood insulin levels and improved glucose tolerance.

"[Pantothenate acid] has therapeutic potential for treating obesity and type II diabetes," researchers conclude.

"Pantothenate protects against obesity via brown adipose tissue activation" is published ahead of print in the *American Journal of Physiology-Endocrinology and Metabolism*.

**More information:** Huiqiao Zhou et al, Pantothenate protects against obesity via brown adipose tissue activation, *American Journal of Physiology-Endocrinology and Metabolism* (2022). [DOI: 10.1152/ajpendo.00293.2021](#)

Provided by American Physiological Society

Citation: Vitamin B5 activates brown fat, aids weight loss in mice (2022, July 27) retrieved 26 April 2024 from <https://medicalxpress.com/news/2022-07-vitamin-b5-brown-fat-aids.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--