

# Study calls for change in guidance about eating fish during pregnancy

September 6 2022

---



Credit: Unsplash/CC0 Public Domain

A woman's mercury level during pregnancy is unlikely to have an adverse effect on the development of the child provided that the mother eats fish, according to a new University of Bristol-led study. The

findings, which drew together analyses on more than 4,131 pregnant mothers from the Children of the 90s study in the U.K., with similar detailed studies in the Seychelles, are published in *NeuroToxicology*.

Importantly, the researchers also found that it does not appear to matter which types of fish are eaten because the [essential nutrients](#) in the fish could be protective against the [mercury](#) content of the fish. The more important factor was whether the woman ate fish or not. This contrasts with current advice warning pregnant women not to eat certain types of fish that have relatively high levels of mercury.

Although there are several studies that have considered this question, this research has looked at two contrasting studies of populations with mercury levels measured during pregnancy where the children were followed up at frequent intervals during their childhood.

The first is a study focused on a population in the Seychelles, where almost all pregnant women are fish eaters. The second study considered analyses of data from the University of Bristol's Children of the 90s study (also known as the Avon Longitudinal Study of Parents and Children (ALSPAC)), based in a relatively industrialized area in south-west England where fish are consumed far less frequently. No summary of the findings from this study has been published before.

Although it has been known for some time that the children of women who eat fish in pregnancy are likely to benefit in various ways in regard to their eyesight and intellectual abilities, official advice has included the warning not to eat certain types of fish that have relatively high levels of mercury. As a result, there is the possibility that some women will stop eating any fish "to be on the safe side."

Dr. Caroline Taylor, Senior Research Fellow and co-author of the study, said, "We found that the mother's mercury level during pregnancy is

likely to have no adverse effect on the development of the child provided that the mother eats fish. If she did not eat fish, then there was some evidence that her mercury level could have a harmful effect on the child. This could be because of the benefits from the mix of essential nutrients that fish provides, including long-chain [fatty acids](#), iodine, vitamin D and selenium."

Professor Jean Golding, co-author and Emeritus Professor of Pediatric and Perinatal Epidemiology at the University of Bristol, said, "It is important that advisories from [health professionals](#) revise their advice warning against eating certain species of fish. There is no evidence of harm from these fish, but there is evidence from different countries that such advice can cause confusion in [pregnant women](#). The guidance for pregnancy should highlight 'Eat at least two portions of fish a week, one of which should be oily'—and omit all warnings that certain [fish](#) should not be eaten."

**More information:** Jean Golding et al, The benefits of fish intake: Results concerning prenatal mercury exposure and child outcomes from the ALSPAC prebirth cohort, *NeuroToxicology* (2022). [DOI: 10.1016/j.neuro.2022.04.012](#)

Provided by University of Bristol

Citation: Study calls for change in guidance about eating fish during pregnancy (2022, September 6) retrieved 26 June 2024 from <https://medicalxpress.com/news/2022-09-guidance-fish-pregnancy.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--