

# **'Staggering' and 'sobering': More than 80% of US maternal deaths are preventable, CDC study shows**

September 20 2022, by Nada Hassanein

---



Credit: Pixabay/CC0 Public Domain

A staggering number of maternal deaths in the United States were found to be preventable, according to a federal analysis of maternal death data

released Monday.

More than 80%, or roughly 4 in 5 maternal deaths in a two-year period, were due to preventable causes, the Centers for Disease Control and Prevention report found.

The analysis of 2017 to 2019 [pregnancy-related deaths](#), which disproportionately occur among women of color including Black and Indigenous, are based on figures from maternal mortality review committees. These are multidisciplinary groups based in 36 states that investigate circumstances around maternal deaths.

Of the 1,018 deaths, 839 occurred up to a year postpartum, with mental [health](#) conditions—deaths by suicide or overdose—the top underlying cause followed by extreme bleeding, or hemorrhage, according to the report. About 22% of deaths happened during pregnancy, and a quarter on the day of delivery or within a week after delivery.

Nearly a quarter of deaths were due to mental health conditions, 14% due to hemorrhage and 13% due to heart problems. The remaining were caused by infection, embolism, cardiomyopathy and high blood pressure-related disorders.

Experts say the findings indicate a critical need for rigorous postpartum health care and mental health resources, as well as tailored strategies to fight persistent racial disparities.

Dr. Allison Bryant, a high-risk obstetrician, is the senior medical director for health equity at Massachusetts General Hospital.

"It's significant. It's staggering. It's heartbreaking," said Bryant, who chairs the Massachusetts review committee. "It just means that we have so much work to do."

The analysis included a section on [maternal deaths](#) for American Indian and Alaska Native people who are more than twice as likely as white mothers to die of pregnancy-related causes but often undercounted in health data due to misclassification.

Upstate Medical University assistant professor of obstetrics and gynecology in Syracuse, New York, Dr. Brian Thompson of the Oneida Nation, is working with the National Indian Health Board to create the first national tribal review committee

More than 90% of Indigenous mothers' deaths were preventable, with most due to mental health conditions and hemorrhage, according to the analysis.

"It really needs to be looked at and examined why that is the case if essentially all of them are preventable," he said. "It's incredibly distressful."

Dr. Andrea Jackson, division chief of obstetrics and gynecology at University of California, San Francisco, said there are known toolkits for clinicians that offer evidence-based guides on prevention and treatment of hemorrhage.

"No pregnant person should be passing away from a hemorrhage. We have the tools in the United States and we know how to deal with it. That was really disheartening to see," she said.

Black mothers, who are three times as likely as white mothers to die, made up close to a third of deaths and were most likely to die of cardiac and coronary problems.

"In both African American and Native Americans, we see this historic and unfortunate, constant disparity in outcomes," Jackson said.

Hispanic mothers, who made up 14% of deaths, most frequently died of [mental health conditions](#), as did white mothers who were 46% of deaths.

Charletta Ayers, an obstetrician and gynecologist and director of the Division of OB-GYN at Rutgers University Robert Wood Johnson Medical School, called the figures "sobering."

The findings also make clear the need for more robust mental health resources for pregnant and post-partum women to prevent them from falling "under the radar," she said.

Echoing Ayers, Dr. Lethenia Baker, an OB-GYN at Wellstar Health in Georgia, said there can be a "long delay in diagnosis and in treatment" of postpartum conditions. Baker said improvements in diagnosis, access to care and awareness need to be structural.

"These are things that need to happen systemically," she said. "It can't just be a few practices here or there who are adopting best practices. It has to be a systemic change."

(c)2022 USA Today

Distributed by Tribune Content Agency, LLC.

Citation: 'Staggering' and 'sobering': More than 80% of US maternal deaths are preventable, CDC study shows (2022, September 20) retrieved 3 May 2024 from <https://medicalxpress.com/news/2022-09-staggering-sobering-maternal-deaths-cdc.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--