

High Framingham risk score seen for women with history of migraine

October 6 2022



High Framingham risk score (FRS) categories are seen among women

with a history of migraine, but not for those with active migraine at baseline or during follow-up, according to a study published online Aug. 19 in *Neurology*.

Khatera Ibrahim, M.D., from Erasmus MC in Rotterdam, Netherlands, and colleagues used data from a cohort study of 27,539 female health professionals without a history of cardiovascular disease or other major diseases to examine the association between FRS categories and [migraine](#) status. Overall, 21,927 women did not report migraine, while 1,500, 3,579, and 533 reported a history of migraine, migraine at baseline, and migraine for the first time during follow-up, respectively.

The researchers found that those with FRS ≥ 10 percent compared with FRS ≤ 1 percent had increased odds of the probability of having a history of migraine at baseline (versus never migraine; adjusted odds ratio, 1.76). In contrast, there was an inverse association seen for having FRS ≥ 10 percent versus FRS ≤ 1 percent with migraine at baseline and with newly reported migraine during follow-up (odds ratios, 0.64 and 0.42, respectively). A similar inverse association was seen for FRS categories of 5 to 9 and 2 to 4 percent.

"Our results suggest that a relatively healthy vascular system, as assessed by the FRS, is associated with migraine activity status or developing migraine in the future," the authors write. "The [biological mechanisms](#) underlying these observations, as well as how our observations might be related to specific cardiovascular disease end points, remain to be studied."

More information: Khatera Ibrahim et al, Vascular Risk Score and Associations With Past, Current, or Future Migraine in Women: Cohort Study, *Neurology* (2022). [DOI: 10.1212/WNL.0000000000201009](https://doi.org/10.1212/WNL.0000000000201009)

Several authors disclosed financial ties to the pharmaceutical industry.

Copyright © 2022 [HealthDay](#). All rights reserved.

Citation: High Framingham risk score seen for women with history of migraine (2022, October 6) retrieved 11 May 2024 from <https://medicalxpress.com/news/2022-10-high-framingham-score-women-history.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--