


# AI tool predicts reduced blood flow to the heart

November 14 2022



Flow chart of machine learning workflow. A machine learning (ML) model for the prediction of vessel-specific ischemia was built, trained, and tuned in the NXT trial (Analysis of Coronary Blood Flow using CT Angiography: Next Steps). The model's predictive performance was evaluated in the PACIFIC trial (Prospective Comparison of Cardiac Positron Emission Tomography [PET]/Computed Tomography [CT], Single Photon Emission Computed Tomography [SPECT]/CT Perfusion Imaging and CT Coronary Angiography with Invasive Coronary Angiography) as an unseen independent test set. The same ML model was then applied for the discrimination of impaired hyperemic MBF by PET in the PACIFIC dataset. CCTA indicates coronary computed

tomography angiography; FFR, fractional flow reserve; and MBF, myocardial blood flow. Credit: *Circulation: Cardiovascular Imaging* (2022). DOI: 10.1161/CIRCIMAGING.122.014369

Cedars-Sinai investigators and colleagues have developed an artificial intelligence (AI) tool that uses computed tomography (CT) scans to identify patients at risk of reduced blood flow to the heart. The tool is able to accurately predict reduced blood flow both within the coronary arteries and the heart muscle.

The advantage of this AI tool is that it could potentially be used in real time during routine patient visits for CT scans to help doctors determine the next step in the treatment plan. The team's research has been published in the journal *Circulation: Cardiovascular Imaging*.

Blockages of the coronary arteries typically occur due to the buildup of fatty plaques. This may restrict blood flow to the heart, causing [chest pain](#), heart attacks, or even death. Identifying which arteries are at risk for reduced blood flow can help inform doctors as to which patients should be referred for subsequent tests or placement of stents.

The current clinical standard for diagnosing reduced coronary arterial blood flow is called invasive fractional flow reserve (FFR). It measures the drop in pressure within the arteries and thus calculates how much each blockage limits blood flow. Meanwhile, a heart positron emission tomography (PET) scan is an imaging test that uses a [radioactive tracer](#) to look for reduced blood flow in the [heart muscle](#).

Investigators analyzed data from 203 patients who had taken part in a previous study called the PACIFIC trial. As part of the PACIFIC trial, all patients had undergone multiple tests within a two-week interval,

including coronary CT scans, invasive coronary angiography with FFR, and heart PET scans. The researchers developed an AI tool that analyzes features of the plaques on coronary CT scans, and then predicts the probability of reduced [blood flow](#) on invasive FFR and PET scans.

This AI tool can be incorporated into routine analysis of coronary CT scans, according to the authors. Having this information on hand during patient visits could help doctors know which patients to refer for further testing, such as non-invasive stress testing or invasive coronary angiography. For some patients, this would mean avoiding invasive tests.

"Coronary CT angiogram is the first-line test for chest pain, as it allows us to measure the [atherosclerotic plaque](#) and narrowing," said Damini Dey, Ph.D., director of the quantitative image analysis lab in the Biomedical Imaging Research Institute and professor of Biomedical Sciences and Medicine at Cedars-Sinai and corresponding author of the study. "If we can integrate CTA plaque data with stenosis with AI to predict impaired FFR, we could risk stratify patients correctly to realize the functional significance of the stenosis."

**More information:** Andrew Lin et al, Machine Learning From Quantitative Coronary Computed Tomography Angiography Predicts Fractional Flow Reserve–Defined Ischemia and Impaired Myocardial Blood Flow, *Circulation: Cardiovascular Imaging* (2022). [DOI: 10.1161/CIRCIMAGING.122.014369](#)

Provided by Cedars-Sinai Medical Center

Citation: AI tool predicts reduced blood flow to the heart (2022, November 14) retrieved 2 May 2024 from <https://medicalxpress.com/news/2022-11-ai-tool-blood-heart.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.