

Decades-long push to lower stillbirth rate in the US has stalled, research finds

November 10 2022, by Greg Bruno



Credit: Pixabay/CC0 Public Domain

A decades-long effort to lower the stillbirth rate in the United States has stalled, as has progress in closing a persistent gap in excess stillbirths experienced by Black women compared with White women, according



to a Rutgers-led study.

"Over the last 40 years, we have reduced certain risk factors for stillbirth, such as smoking and alcohol use before and during pregnancy, but these gains have been countered by substantial increases in other <u>risk</u> <u>factors</u>, like obesity and structural racism," said Cande Ananth, chief of Epidemiology and Biostatistics in the Department of Obstetrics, Gynecology and Reproductive Sciences at the Rutgers Robert Wood Johnson Medical School and lead author of the study published in *The Lancet Regional Health—Americas*.

"Our findings illustrate that past progress has now been offset by these newly identified risks," Ananth said.

To determine how cultural and <u>environmental factors</u> impact stillbirths among Black and White women in the U.S., Ananth and a team of Rutgers obstetricians examined changes in stillbirth rates between 1980 and 2020.

Using data compiled by the National Center for Health Statistics of the Centers for Disease Control and Prevention and covering all 50 states and the District of Columbia, the researchers measured how maternal age, year of death (indicative of changes in prenatal and intrapartum care and other factors) and maternal birth cohorts (indicative of social and environmental elements, such as <u>socioeconomic status</u>, education, nutrition and <u>substance use</u> at the time of the women's birth) shaped stillbirth trends.

More than 157 million <u>live births</u> and nearly 711,000 stillbirths delivered at 24 or more weeks over the last four decades in the U.S. were included in the study.

Consistent with previous studies, the researchers found that total



stillbirth rates in the U.S. declined steadily between 1980 and 2005, backed by advances in <u>prenatal care</u> and <u>maternal health</u>. For every 1,000 women who delivered in 1980, 10 of those pregnancies ended in stillbirth. By 2005, the figure had declined to about 5 per 1,000.

But since then, the researchers found, improvements have flatlined and the rate today is about the same as it was more than a decade ago.

Additionally, despite efforts to reduce structural racism and increase health-care access to women of color, the disparity in stillbirth rates for Black women compared with White women remained unchanged during the 40-year period. The rate for Black women was about twice the rate of White women in 1980 (17.4 versus 9.2 per 1,000 births) and remained twofold in 2020 (10.1 versus 5.0 per 1,000 births).

Unlike most previous work, which has focused primarily on risks such as age at delivery and social and environmental conditions, Ananth's study added a third element: the birth cohort—the year the mother herself was born.

Ananth said that the data demonstrates a strong link between birth cohort and stillbirth risk.

"The cohort is a new dimension to understanding these adverse outcomes," said Ananth. "To understand the paper's significance, you need to view it in a three-dimensional perspective. We have age of the mother, year of delivery and the birth cohort. All three factors are timerelated and intertwined."

Several factors might explain the stalled decline in reducing stillbirth rates. One possible cause, the researchers wrote, is a national effort in 2009 to reduce elective deliveries before 39 weeks. There also may have been a slowdown in medical advances and obstetrical intervention to



predict or prevent stillbirth.

The persistent gap in stillbirth disparities is more complicated and includes structural racism and biases, <u>social inequality</u> and a greater burden of chronic diseases and illness, Ananth said.

Taken together, Ananth said these data paint a dire health care picture that needs urgent attention at local, state and national levels.

"I am a firm believer that even one death is one too many," he said. "Delivering a stillbirth carries so much social and emotional trauma—for the parents, and for the entire society."

More information: Cande V. Ananth et al, Evolving stillbirth rates among Black and White women in the United States, 1980–2020: A population-based study, *The Lancet Regional Health—Americas* (2022). DOI: 10.1016/j.lana.2022.100380

Provided by Rutgers University

Citation: Decades-long push to lower stillbirth rate in the US has stalled, research finds (2022, November 10) retrieved 20 April 2024 from <u>https://medicalxpress.com/news/2022-11-decades-long-stillbirth-stalled.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.