

Most young people who leave mental health services may not see a worsening of symptoms

November 18 2022



Credit: Unsplash/CC0 Public Domain

Most young people who stop using childhood and adolescent mental health services (CAMHS) after reaching the upper age limit of CAMHS do not see a decline in their symptoms, research has found.

The study, published today in *The Lancet Psychiatry*, involved scientists from Universities across Europe, including the University of Warwick and Erasmus Medical Center, Rotterdam.

It followed more than 700 [young people](#), with an average age of 17.5 years, and repeated assessments on their mental health symptoms and treatment over a two-year period in which they transitioned from CAMHS to AMHS, stayed in CAMHS, or left [mental health care](#) altogether.

Although approximately half of young people reaching the upper age limit of their CAMHS stop using [mental health services](#), this was not associated with a deterioration in their mental health. The research also revealed that those with more severe mental health problems continued to receive care with AMHS.

This is [positive news](#), according to Professor Dieter Wolke from the University of Warwick, and highlights the resilience of young people. He said, "As a developmental psychologist, the results make sense. Clinicians may underestimate young people's ability to adapt, learn to cope with challenges and master transitions."

Professor Swaran Singh, chief investigator on this MILESTONE project, from the University of Warwick, added, "Despite the positive findings, there remains the small subgroup of participants whose mental health deteriorated following CAHMS treatment. This highlights an area for further research, to investigate why this is the case and help GPs to identify these young people.

"It is important that GPs take [young adults](#) with renewed complaints seriously and refer them quickly to adult psychiatry; investments should be made to improve transition care for these young people specifically. Regular community follow-up is necessary to identify the minority of

youth who showed deterioration in their [mental health](#) and need further psychological or psychiatric support."

Researchers based in the Erasmus MC in Rotterdam who led the study, Suzanne Gerritsen and child and adolescent psychiatrist Gwen Dieleman, are keen to highlight the journey it takes to receive the care they need.

Suzanne comments, "It is important to note that our findings do not provide insight into the struggle young people have finding the care they need, even though they may eventually find appropriate care. For example, waiting lists are still a big problem in many countries and navigating the pathway between CAMHS and AMHS could be improved for young people."

More information: Suzanne E Gerritsen et al, Leaving child and adolescent mental health services in the MILESTONE cohort: a longitudinal cohort study on young people's mental health indicators, care pathways, and outcomes in Europe, *The Lancet Psychiatry* (2022). [DOI: 10.1016/S2215-0366\(22\)00310-8](https://doi.org/10.1016/S2215-0366(22)00310-8)

Provided by University of Warwick

Citation: Most young people who leave mental health services may not see a worsening of symptoms (2022, November 18) retrieved 14 May 2024 from <https://medicalxpress.com/news/2022-11-young-people-mental-health-worsening.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--