


Scientists find inorganic food additives might make babies more vulnerable to allergies

December 5 2022, by Angharad Brewer Gillham



Graphical abstract. Credit: *Frontiers in Allergy* (2022). DOI: 10.3389/falgy.2022.1067281

Nanotechnologies have revolutionized food technology with changes to

food production, manufacture, and processing that are intended to make our food safer and healthier. Phytosanitary products, processing aids, food additives, and surfaces that touch food in storage can all transfer nanoparticles that might be consumed by humans.

In a review published in *Frontiers in Allergy* today, Mohammad Issa, at the Université Paris-Saclay, and colleagues pointed out that such a significant change to food production could have unforeseen health consequences. The team presented evidence that suggested that [nanoparticles](#) not only cross the placenta to reach developing fetuses but leave them at greater risk of potentially life-threatening food allergies.

"Due to the immunotoxic and biocidal properties of nanoparticles, exposure may disrupt the host-intestinal microbiota's beneficial exchanges and may interfere with intestinal barrier and gut-associated immune system development in fetus and neonate," said Dr. Karine Adel-Patient, corresponding author of the study. "This may be linked to the epidemic of immune-related disorders in children, such as food allergies—a major public health concern."

Allergies on the rise

Food allergies occur when the immune system overreacts to proteins found in food. Children should usually develop oral tolerance, which allows them to eat without their bodies treating dietary proteins as a threat, but if the immune system or the intestinal barrier are compromised, they may instead become sensitized and develop an allergic reaction.

Food allergies affect between 2-5% of adults and 6-8% of children, and prevalence has risen sharply in recent decades. We know that [environmental factors](#) play a significant role in [allergy](#) development, and the higher prevalence in children suggests that early life environmental

factors are likely key. Dietary practices and the environment affect gut health in [young children](#), and the deprivation of gut microbiota and a wide range of dietary proteins can affect the development of oral tolerance.

Nanoparticles passed on

To understand how nanoparticles can disrupt this delicate balance, the team focused on three nanoparticle-bearing additives which are regularly found in food.

"Such agents can cross the placental barrier and then reach the [developing fetus](#)," explained Adel-Patient. "Excretion in milk is also suggested, continuing to expose the neonate."

While nanoparticles crossing the placenta has been demonstrated in rodents, there is also evidence that the additives cross the placenta in humans as well. Nanoparticles are not absorbed in the gut but accumulate there, and affect the bacteria present in the [gut microbiome](#) by changing the number of species present and their proportions.

Given the evidence for the importance of the gut microbiome in developing a well-educated immune system, this is concerning for allergy development. Nanoparticles also affect the epithelium intestinal barrier, which is another essential component of a healthy reaction to dietary proteins.

Evidence for immunotoxicity is harder to gather, but the team pointed to evidence that the gut-associated [lymphoid tissue](#) in humans is also negatively affected by these nanoparticles. This suggests that the effect on the [immune system](#) is greater than currently understood, in line with evidence from rodent studies. However, these usually reflect a proportionally higher dose than the estimated consumption by humans.

"The impact of such exposure on the development of food allergy has not been assessed to date," warned Adel-Patient. "Our review highlights the urgent need for researchers to assess the risk related to exposure to foodborne inorganic nanoparticles during a critical window of susceptibility and its impact on children health."

More information: Mohammad Issa et al, Perinatal exposure to foodborne inorganic nanoparticles: A role in the susceptibility to food allergy?, *Frontiers in Allergy* (2022). [DOI: 10.3389/falgy.2022.1067281](https://doi.org/10.3389/falgy.2022.1067281)

Provided by Frontiers

Citation: Scientists find inorganic food additives might make babies more vulnerable to allergies (2022, December 5) retrieved 25 April 2024 from <https://medicalxpress.com/news/2022-12-scientists-inorganic-food-additives-babies.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.