

Traveling farther away from home linked to better health

January 4 2023



Credit: Unsplash/CC0 Public Domain

People who travel more outside of their local area feel that they are healthier than those who stay closer to home, finds a new study led by UCL researchers.

How often people travel and the range of places visited are important, with those who regularly travel more than 15 miles away from home more likely to report being in general good [health](#).

Those who travel to a wider variety of places are more likely to see friends and family. This increase in [social participation](#) is then linked to better health.

Researchers say the results provide strong evidence of the need for investment in medium and long-distance [transport](#) options, such as better serviced roads and access to trains and buses.

For the paper, published in *Transport & Health*, the researchers analyzed travel in the north of England, where residents face worse health outcomes than the rest of England and many rural and suburban areas suffer from poor transport accessibility.

Specifically, they looked at the links between perceived constraints to travel outside of the [local area](#), such as a lack of suitable public transport, and self-rated health, considering trip frequency, the number of different places visited, distance traveled, car use and public transport use.

Lead author Dr. Paulo Anciaes (UCL Bartlett School of Environment, Energy & Resources) said, "We expected to find that restrictions on travel through a lack of access to suitable public transport or to a private car would be linked to residents' perception of their health because of the lack of social participation.

"We explored the links between constraints to travel more than 15 miles from home, demographics and location and social participation in how residents perceived their own health, finding that the key variable is the number of different places people visit outside their local area. This

links to more social participation and better health."

The researchers conducted an [online survey](#) of 3,014 nationally representative residents in the north of England. Constraints to travel have previously been identified as contributing to economic disadvantage and a lower sense of well-being in the region, but the impact on health hadn't been analyzed before. The team used a research technique called "path analysis," which uncovers the direct and indirect effects of constraints to travel outside of people's local area.

The study found that the links between travel constraints, social participation and health are stronger among those aged over 55. Among this group, constraints to the number of different places people can travel to is linked to less frequent contact with friends and participation in clubs and societies.

Dr. Ancaes explained: "Those aged over 55 are more likely to face other constraints to travel such as [limited mobility](#). They are also more likely to suffer from loneliness. In the north of England, rural and suburban areas with limited access options are more likely to experience population loss as [young people](#) move to the cities in search of work and good travel options. Meanwhile, [older generations](#) are left behind in these areas with limited transport options. The range of places they can visit is low, leading to less social participation and lower levels of general health.

"The results of this study emphasize the need for public policies that reduce constraints to [travel](#) in the region, by providing better options for private and public transport that allows for more frequent and longer trips."

More information: Paulo Ancaes and Paul Metcalfe, Constraints to travel outside the local area: Effect on social participation and self-rated

health, *Transport & Health* (2022). [DOI: 10.1016/j.jth.2022.101535](https://doi.org/10.1016/j.jth.2022.101535)

Provided by University College London

Citation: Traveling farther away from home linked to better health (2023, January 4) retrieved 27 April 2024 from <https://medicalxpress.com/news/2023-01-home-linked-health.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.