

New stem cell model for research into a lifethreatening malformation of the newborn lung

March 9 2023



Credit: Pixabay/CC0 Public Domain

Congenital diaphragmatic hernia (CDH) is a common condition, affecting one in every 2,500 births. Up to 30% of affected babies die



from it. The main problem is underdeveloped lungs. The condition also involves a hole in the diaphragm, which pediatric surgeons surgically correct in the first week of life. Until now, there has been little medical knowledge about how CDH develops or about what exactly goes wrong during embryonic development.

Dr. Richard Wagner, a pediatric surgeon and scientist at Leipzig University Hospital, teamed up with researchers from Massachusetts General Hospital in Boston to establish a new patient-specific cell model at Harvard Medical School. Using their model, the researchers investigated possible ways of treating this condition. The work is published in the *American Journal of Respiratory and Critical Care Medicine*.

Babies with CDH are placed on a ventilator immediately after birth. "We were able to isolate <u>stem cells</u> from the fluid that is sucked out of the children's lungs and otherwise disposed of, and grow them in the laboratory," explains Dr. Wagner, first author of the study.

While working as a postdoctoral researcher in the U.S., the doctor from Leipzig examined the stem cells in the laboratory together with the American researchers, designing cell models of the airways of the tiny patients. This gave them access for the first time to "living" human lung tissue from patients with CDH. They then compared the stem cells from healthy and underdeveloped lungs.

When the researchers looked at the molecular properties of the stem cells, they found that they had been altered due to inflammation. However, <u>drug therapy</u> in the cell model was able to restore functionality. "We also tested this process in animal models and showed that the treatment contributed to better lung development there, too. With the same drug therapy, we were therefore able to achieve positive effects both in <u>human cells</u> in the Petri dish and in the <u>living organism</u> in



the established animal model," explains Dr. Wagner.

The treatment was performed with the steroid dexamethasone. This drug is already used in <u>clinical practice</u> to induce lung maturity in the fetus when there is a risk of premature birth during pregnancy.

"What is most appealing is the fact that we already know that this drug is not harmful in pregnancy. If we were to collect more data in laboratory research, it would be possible to investigate later in <u>clinical trials</u> whether there are advantages to administering the drug during pregnancy in order to slow down the possible inflammation in the organism and help the lungs grow," says Dr. Wagner. He added that the aim in the future is to be able to intervene with a drug directly after the diagnosis of a diaphragmatic hernia, which happens at around the 20th week of pregnancy.

More information: Richard Wagner et al, A Tracheal Aspirate-Derived Airway Basal Cell Model Reveals a Proinflammatory Epithelial Defect in Congenital Diaphragmatic Hernia, *American Journal of Respiratory and Critical Care Medicine* (2023). DOI: 10.1164/rccm.202205-0953OC

Provided by Leipzig University

Citation: New stem cell model for research into a life-threatening malformation of the newborn lung (2023, March 9) retrieved 27 April 2024 from <u>https://medicalxpress.com/news/2023-03-stem-cell-life-threatening-malformation-newborn.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.