

# Four ways to reduce unwanted iodized table salt reactions when boiling pasta

March 1 2023

---



Credit: CC0 Public Domain

Iodized salt helps prevent iodine-deficiency disorders, including goiters and certain birth defects. Yet it's unclear how this seasoning interacts with chloramine-treated drinking water if some of the disinfectant is left

behind. Now, researchers in the journal *Environmental Science & Technology* have demonstrated that cooking pasta in such water with iodized table salt could produce potentially harmful byproducts. But they also report four simple ways that people can reduce or avoid these unwanted compounds.

In most countries, drinking water is treated with chlorine or chloramine before it trickles out of kitchen or bathroom faucets. But small amounts of these disinfectants can end up in water used for cooking. Previous experiments showed that when [wheat flour](#) was heated in tap water that contained residual chlorine and seasoned with iodized [table salt](#), potentially harmful iodinated disinfection byproducts could form.

However, similar studies hadn't been conducted with real foods and at-home cooking conditions. So, Susan Richardson and colleagues wanted to find out if this could happen in real-world situations, and how home cooks could minimize the formation of disinfection byproducts.

The researchers cooked elbow macaroni in [tap water](#), which had been treated with chloramine, and salt. In the initial test, they boiled the pasta according to the package directions, but in other tests, they changed the cooking conditions and salt type. Then, the team measured the amounts of six iodinated trihalomethanes, which are potentially toxic compounds, in the cooked food and pasta water. They detected all of the iodinated trihalomethanes in cooked noodles and pasta water, but the cooking conditions significantly impacted the amounts.

Based on their results, the researchers identified four ways to reduce possible consumption of these substances:

- Pasta should be boiled without a lid.
- The noodles should be strained from the water that they're cooked in.

- Iodized table salt should be added after the pasta is cooked.
- Iodine-free salt options, such as kosher salt and Himalayan salt, should be used if home cooks want to boil pasta in salted water.

As the team explains, boiling [pasta](#) without a lid allows vaporized chlorinated and iodinated compounds to escape, and straining noodles removes most of the contaminants. Adding iodized [salt](#) after cooking should reduce risk of byproduct formation, but non-iodized salts are recommended if salting the water before boiling.

**More information:** Huiyu Dong et al, Overlooked Iodo-Disinfection Byproduct Formation When Cooking Pasta with Iodized Table Salt, *Environmental Science & Technology* (2023). [DOI: 10.1021/acs.est.2c05234](#)

Provided by American Chemical Society

Citation: Four ways to reduce unwanted iodized table salt reactions when boiling pasta (2023, March 1) retrieved 26 April 2024 from <https://medicalxpress.com/news/2023-03-ways-unwanted-iodized-table-salt.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.