

Diabetes drug reduces drug resistance in lung cancer, improving chemotherapy effectiveness

July 17 2024



Credit: Pixabay/CC0 Public Domain

A medication used to treat diabetic neuropathy may make chemotherapy treatments more effective for patients with lung cancer, according to

new findings from the University of Missouri School of Medicine [published](#) in *Clinical Cancer Research*.

Despite surgical and [chemotherapy treatment](#), more than 50% of non-metastatic, non-small [lung cancer](#) patients see recurrences, in large part because of drug-resistant cancer cells. Researchers identified a way to make these cells more susceptible to chemotherapy, said study author Dr. Jussuf Kaifi.

"Traditional treatments for lung cancer, including chemotherapy, often have little to no effect on the cancer because of [drug resistance](#)," Kaifi said. "It is a major cause of mortality in patients, so finding ways to circumvent drug and chemotherapy resistance is vital to improving patient outcomes."

The study examined 10 non-small cell lung cancer tumors, half of which were identified as drug resistant. The drug-resistant tumors showed overexpression of a certain enzyme, AKR1B10. When treated with the [diabetic neuropathy](#) medication, epalrestat, the tumors became less drug resistant, causing their sensitivity to chemotherapy to significantly increase.

Epalrestat is available in several countries and well-tolerated by patients, but it is not yet approved for use by the Food and Drug Administration in the United States. The medication is currently in high-level [clinical trials](#) as part of the FDA's approval process. If given FDA approval, epalrestat could be fast-tracked as an anti-cancer drug for lung cancer patients.

"In general, developing new drugs for [cancer treatment](#) is an extremely lengthy, expensive and inefficient process," Kaifi said.

"In contrast, 'repurposing' these drugs to other diseases is much faster

and cheaper. In view of overcoming drug resistance, epalrestat can rapidly be advanced to the clinic to improve cure rates in lung cancer patients."

Dr. Jussuf Kaifi, MD, Ph.D. is a thoracic surgeon at MU Health Care and an assistant professor of surgery at the MU School of Medicine. He is also the Chief of Thoracic Surgery. His areas of expertise include general and minimally invasive thoracic surgery, including malignant and benign conditions of the lung. He received his medical degree and doctorate from the University of Hamburg in Germany.

In addition to Kaifi, team members from MU included research scientists Kanve Suvilesh, Ph.D. and Yariswamy Manjunath, Ph.D.; Ph.D. students Yulia I. Nussbaum and Mohamed Gadelkarim; Raju Murugesan, Ph.D., a bioinformatician from the MU Institute for Data Science and Informatics; Chi-Ren Shyu, Ph.D., Director of the MU Institute for Data Science and Informatics; Akhil Srivastava, Ph.D., assistant professor of cancer biology; Satyanarayana Rachagani, DVM, Ph.D., associate professor of Veterinary Medicine and Surgery; and Wesley C. Warren, Ph.D., professor of genomics. Feng Gao, Matthew A. Ciorba, Jonathan B. Mitchem and Guangfu Li also contributed.

More information: Kanve N. Suvilesh et al, Targeting AKR1B10 by drug repurposing with epalrestat overcomes chemoresistance in non-small cell lung cancer patient-derived tumor organoids, *Clinical Cancer Research* (2024). [DOI: 10.1158/1078-0432.CCR-23-3980](https://doi.org/10.1158/1078-0432.CCR-23-3980)

Provided by University of Missouri

Citation: Diabetes drug reduces drug resistance in lung cancer, improving chemotherapy effectiveness (2024, July 17) retrieved 17 July 2024 from

<https://medicalxpress.com/news/2024-07-diabetes-drug-resistance-lung-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.