

# Scientists unravel mechanism that causes liver cancer

May 28 2012

---

Scientists at the Genome Institute of Singapore (GIS) have unraveled the mechanism that causes liver cancer (hepatocellular carcinoma, HCC), one of the most common solid tumors worldwide. This genome-wide research was done in collaboration with colleagues from the National University of Singapore (NUS), University of Hong Kong, Eli Lilly & Co. USA, Merck Research Laboratories USA, Pfizer Oncology USA and Beijing Genomics Institute China.

The discovery was published in the prestigious scientific journal, *Nature Genetics*, on 27 May 2012. The GIS is a research institute under the umbrella of the Agency for Science, Technology and Research (A\*STAR).

One major cause of [liver cancer](#), or HCC, is high exposure to the hepatitis B virus (HBV), resulting in the integration of HBV into the victim's genes. Individuals who carry the HBV have a greater than 100-fold increased relative risk of developing HCC, considered to be a serious global health problem by the World Health Organization (WHO).

Due to technology and sample limitations in the past, only restricted results were found. In this study, the scientists leveraged on massively parallel sequencing technology to survey the HBV integrations on paired [tumor](#) and adjacent non-tumor tissues from 88 Chinese HCC patients.

Their analyses revealed that the incidences of HBV integrations were high – 76 of the 88 patients had HBV integration. Specifically, they

discovered that the HBV will integrate into genes CCNE1, SENP5 and ROCK1, causing an increase in the expression levels in these genes, and subsequently enhancing the tumor growth. This discovery is in addition to the previously reported integration into the TERT and MLL4 genes.

The scientists also observed that HBV integration induced chromosome instability, resulting in the scrambling of the genome.

First author Dr Ken SUNG Wing Kin, Senior Group Leader of Computational and Systems Biology at the GIS, said: “Very importantly, we showed that HBV integration affects the patient’s overall survival. This work improves our understanding of HBV integration in HCC, which may lead us to develop better therapies for this highly malignant disease.”

“A lot of researchers have tried to study the importance of HBV integration sites, but with limited success,” said Prof Stephen TSUI, Professor at the School of Biomedical Sciences, and Director at the Centre for Microbial Genomics and Proteomics, The Chinese University of Hong Kong. “Thanks to the recent advance in sequencing technology and the continuing efforts of the team, I am so excited to see the light from the end of the tunnel finally. The findings in this article have important implications on the relationship between hepatitis B virus and hepatocellular [carcinoma](#).”

Acting Executive Director of GIS Prof NG Huck Hui remarked: "Computational biology is a critical part of post-genome research. Ken, a Senior Group Leader at the GIS, has elegantly demonstrated the importance of informatics in deciphering the complex sequence datasets and discovered the sites which the hepatitis B virus invades the human genome."

**More information:** The research findings described in the press

release can be found in the 27 May 2012 advance online issue of *Nature Genetics* under the title “Genome-wide survey of recurrent HBV integration in hepatocellular carcinoma”.

Provided by Agency for Science, Technology and Research (A\*STAR), Singapore

Citation: Scientists unravel mechanism that causes liver cancer (2012, May 28) retrieved 19 April 2024 from <https://medicalxpress.com/news/2012-05-scientists-unravel-mechanism-liver-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.