

Free, user-friendly 'blood pressure cuff' for dementia is reliable and valid: research

June 14 2012

A new study shows that a practical clinical tool developed by researchers from the Regenstrief Institute and the Indiana University School of Medicine to measure severity of dementia symptoms is reliable and valid. The Healthy Aging Brain Care Monitor is simple, user-friendly and sensitive to change in symptoms.

"The HABC Monitor is a 'blood pressure cuff' for [dementia](#)," said Regenstrief Institute investigator Malaz Boustani, M.D., MPH, associate professor of medicine and associate director of the IU Center for Aging Research. A geriatrician, Dr. Boustani is the study's corresponding author and principal investigator. He is also medical director of the Healthy [Aging Brain](#) Center at Wishard Health Services, the public hospital where the study was conducted. "Much as doctors and nurses use a sphygmomanometer -- a [blood pressure](#) cuff -- to quickly and repeatedly determine changes in blood pressure, we have developed a 31-item questionnaire to easily measure and track dementia symptoms. The results provide information critical to the clinician's care of [older adults](#) as well as to caregiver's well-being."

Divided into clinically relevant domains -- cognitive, functional, and behavioral and [psychological symptoms](#) of the patient; and caregiver quality of life -- all questions on the HABC Monitor have the same response options, ranging from never to almost all days. It takes about six minutes for caregiver response.

In the study, 171 caregivers -- three-quarters of whom were female --

completed the HABC Monitor. Fifty-two percent of the caregivers were the children of the patients, 34 percent were spouses, 6 percent were siblings, and 4 percent were grandchildren. Caregivers had a mean age of 58 years. Ninety percent indicated that they knew the patient very well, while 10 percent indicated they knew the patient well.

"We found the HABC Monitor to be highly sensitive to changes in the patient, both declines and improvement," said Patrick Monahan, Ph.D., associate professor of biostatistics at the IU School of Medicine. He is a psychometrician and first author of the new study. "The HABC Monitor is also able to distinguish between groups of patients who differ in severity of impairment based on physician diagnoses and based on other questionnaires that have been validated for research but are too long and time-consuming for clinical practice.

"Depression and anxiety, both very common in older adults with dementia, but often missed during a busy office visit, are highlighted for the clinician. This study confirmed that the HABC Monitor is an accurate measure of dementia symptoms. We are seeking funding to study the impact of this new 'blood pressure cuff' on primary care, where most older adults receive their care."

"A Practical Clinical Tool to Monitor Dementia Symptoms: The HABC-Monitor" was published June 14 in *Clinical Interventions in Aging*, an international peer-reviewed open-access publication.

Provided by Indiana University School of Medicine

Citation: Free, user-friendly 'blood pressure cuff' for dementia is reliable and valid: research (2012, June 14) retrieved 25 April 2024 from <https://medicalxpress.com/news/2012-06-free-user-friendly-blood-pressure-cuff.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.