


The seat of meta-consciousness in the brain

July 27 2012



This shows the brain regions activated more strongly during lucid dreaming than in a normal dream. Credit: MPI of Psychiatry

Studies of lucid dreamers visualize which centers of the brain become active when we become aware of ourselves.

Which areas of the [brain](#) help us to perceive our world in a self-reflective manner is difficult to measure. During wakefulness, we are always conscious of ourselves. In sleep, however, we are not. But there are people, known as lucid dreamers, who can become aware of dreaming during sleep. Studies employing [magnetic resonance tomography \(MRT\)](#) have now been able to demonstrate that a specific cortical network consisting of the right dorsolateral prefrontal cortex, the frontopolar regions and the precuneus is activated when this lucid consciousness is attained. All of these regions are associated with self-reflective functions. This research into lucid dreaming gives the authors

of the latest study insight into the [neural basis](#) of human consciousness.

The human capacity of self-perception, self-reflection and consciousness development are among the unsolved mysteries of neuroscience. Despite modern imaging techniques, it is still impossible to fully visualise what goes on in the brain when people move to consciousness from an unconscious state. The problem lies in the fact that it is difficult to watch our brain during this transitional change. Although this process is the same, every time a person awakens from sleep, the basic activity of our brain is usually greatly reduced during [deep sleep](#). This makes it impossible to clearly delineate the specific [brain activity](#) underlying the regained self-perception and consciousness during the transition to [wakefulness](#) from the global changes in brain activity that takes place at the same time.

Scientists from the Max Planck Institutes of Psychiatry in Munich and for Human Cognitive and [Brain Sciences](#) in Leipzig and from Charité in Berlin have now studied people who are aware that they are dreaming while being in a dream state, and are also able to deliberately control their dreams. Those so-called lucid dreamers have access to their memories during lucid dreaming, can perform actions and are aware of themselves – although remaining unmistakably in a dream state and not waking up. As author Martin Dresler explains, "In a normal dream, we have a very basal consciousness, we experience perceptions and emotions but we are not aware that we are only dreaming. It's only in a lucid dream that the dreamer gets a meta-insight into his or her state."

By comparing the activity of the brain during one of these lucid periods with the activity measured immediately before in a normal dream, the scientists were able to identify the characteristic brain activities of lucid awareness.

"The general basic activity of the brain is similar in a normal dream and

in a lucid dream," says Michael Czisch, head of a research group at the Max Planck Institute of Psychiatry. "In a lucid state, however, the activity in certain areas of the cerebral cortex increases markedly within seconds. The involved areas of the cerebral cortex are the right dorsolateral prefrontal cortex, to which commonly the function of self-assessment is attributed, and the frontopolar regions, which are responsible for evaluating our own thoughts and feelings. The precuneus is also especially active, a part of the brain that has long been linked with self-perception." The findings confirm earlier studies and have made the neural networks of a conscious mental state visible for the first time.

More information: Martin Dresler, PhD; Renate Wehrle, PhD; Victor I. Spoormaker, PhD; Stefan P. Koch, PhD; Florian Holsboer, MD, PhD; Axel Steiger, MD; Hellmuth Obrig, MD; Philipp G. Sämann, MD; Michael Czisch, PhD (2012) Neural Correlates of Dream Lucidity Obtained from Contrasting Lucid versus Non-Lucid REM Sleep: A Combined EEG/fMRI Case Study *SLEEP* 2012;35(7):1017-1020

Provided by Max Planck Society

Citation: The seat of meta-consciousness in the brain (2012, July 27) retrieved 19 September 2024 from <https://medicalxpress.com/news/2012-07-seat-meta-consciousness-brain.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--