

Commercial drivers could be understating sleep apnoea symptoms for fear of losing their licence

26 August 2012

People who drive commercial vehicles, such as buses, taxis, trucks and aeroplanes, could be incorrectly reporting their symptoms of sleep apnoea due to their fears of endangering their employment, according to a new study.

The research will be presented on 1 September 2012 at the European Respiratory Society's (ERS) Annual Congress in Vienna. All the abstracts from the ERS Congress will be publicly available online today.

People with the sleep apnoea suffer frequent disruptions to their breathing during sleep, leaving them with headaches, drowsiness and sometimes depression during the day. Obstructive sleep apnoea is a well-established risk for traffic accidents and commercial vehicle drivers could lose their licence if their illness is perceived to be compromising safety while driving.

The regular treatment for sleep apnoea is continuous positive airway pressure (CPAP), which uses a mask and other equipment to generate a stream of air to keep the upper airway open during sleep. As commercial drivers regularly do shift work, they don't follow regular patterns of sleep and also do not always sleep in one place; this makes adherence to CPAP treatment more difficult.

Researchers examined 37 commercial vehicle drivers with sleep apnoea and compared them with a control group of 74 patients. Both groups had similar characteristics of age, body mass index (BMI) and similar numbers of disturbances suffered on average during the night. Both groups also underwent treatment using CPAP.

Levels of sleepiness were then analysed using the Epworth Sleepiness Score; a well-established

short questionnaire used to give levels of sleepiness during the day time. The survey provides a score, which is the sum of 8 items and can range between 0 and 24. The higher the score, the higher the person's level of daytime sleepiness

At the start of the study, commercial drivers reported an average score of 8.1 on the sleepiness scale, compared with an average of 11.0 reported by non-commercial drivers, despite a similar number of disturbances at night between the two groups. The difference was also seen after 6 months of treatment using CPAP therapy with the drivers reporting an average sleepiness score of 4.8 and non-drivers reporting an average of 7.7.

The results also showed that drivers received less treatment (only receiving CPAP for an average of 75% of days, compared with 83%) and also had more unscheduled visits to the clinic, which suggests they were struggling with their symptoms.

The authors speculate that the lower scores reported by the commercial drivers could be due to drivers under-scoring their sleepiness levels for fear of losing their licence permissions.

Lead author, Dr. Werner Strobel from University Hospital, Switzerland, said: "Our study suggests that commercial drivers are playing down their levels of sleepiness for fear of losing their jobs. Although this is very difficult to prove, both the group of drivers and the group of non-drivers began the study with a similar number of disturbances during the night. You would therefore expect their reports of sleepiness to be similar to begin with, however the drivers estimated their levels of sleepiness as lower than the non-drivers. This pattern continued throughout the course of the study, with drivers reporting lower symptoms, yet receiving less treatment and making more

unscheduled visits to the clinic.

"We can assume from these results that commercial drivers with sleep apnoea symptoms could be under-reporting their sleepiness in order to protect their job. These results should be taken into account by healthcare professionals who are treating this group of people."

Dan Smyth from the Irish Sleep Apnoea Trust, said: "We know that an above average number of people involved in commercial driving have sleep apnoea. It is also known that many of them, mainly through ignorance of the condition and fear of losing their livelihood, are afraid to report it to their employer or seek help. The findings of this study confirm the current situation and show further evidence that Relative Advocacy and Support Groups, with the support of our legislators, must deliver a positive message on the benefits of treating Sleep Apnoea to the Transport Industry."

Provided by European Lung Foundation

APA citation: Commercial drivers could be understating sleep apnoea symptoms for fear of losing their licence (2012, August 26) retrieved 18 June 2019 from

<https://medicalxpress.com/news/2012-08-commercial-drivers-understating-apnoea-symptoms.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.