

# 'Crack baby' scare overblown, teen research says

May 27 2013, by Lindsey Tanner

---

Research in teens adds fresh evidence that the 1980s "crack baby" scare was overblown, finding little proof of any major long-term ill effects in children whose mothers used cocaine during pregnancy.

Some studies have linked pregnant women's [cocaine use](#) with children's behavior difficulties, [attention problems](#), anxiety and worse [school performance](#). But the effects were mostly small and may have resulted from other factors including family problems or violence, parents' continued drug use and poverty, the researchers said.

They reviewed 27 studies involving more than 5,000 11- to 17-year-olds whose mothers had used cocaine while pregnant. The studies all involved low-income, mostly black and urban families.

The review, led by University of Maryland pediatrics researcher Maureen Black, was released online Monday in the journal *Pediatrics*.

Widespread use of [crack cocaine](#) in the 1980s led to the "crack baby" scare, when babies born to crack users sometimes had worrisome symptoms including jitteriness and smaller heads. Studies at the time blamed prenatal drug use, suggested affected children had irreversible brain damage and predicted dire futures for them. These reports led to widespread media coverage featuring breathless headlines and heart-rending images of tiny sick newborns hooked up to hospital machines.

"The field of [prenatal cocaine exposure](#) has advanced significantly since

the misleading 'crack baby' scare of the 1980s," the review authors said.

In recent years experts have mostly discounted any link, noting that so-called crack babies often were born prematurely, which could account for many of their early symptoms. Studies that tracked children beyond infancy have failed to find any severe outcomes.

In some studies included in the new review, crack-exposed teens had lower scores on developmental tests than other children but their scores were still within normal limits. Many studies found that the children's family environment or violence were directly related to the teen's performance regardless of whether their mothers had used cocaine during pregnancy, the researchers said.

The government's National Institute on Drug Abuse notes that it's tough to evaluate how drug use during pregnancy affects children's development because so many other factors play a role, including prenatal care, mothers' health and [family environment](#).

© 2013 The Associated Press. All rights reserved.

Citation: 'Crack baby' scare overblown, teen research says (2013, May 27) retrieved 26 April 2024 from <https://medicalxpress.com/news/2013-05-baby-overblown-teen.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.