

# CDC: Drug-resistant foodborne bacteria on rise

10 June 2015



Electron micrograph of salmonella (red) invading human cells. Source: U.S. National Institutes of Health

Resistance Monitoring System each year tracks changes in the [antibiotic resistance](#) of six common types of [foodborne bacteria](#) found in food animals, retail meats, and affected humans.

**More information:** [More Information](#)

Copyright © 2015 [HealthDay](#). All rights reserved.

(HealthDay)—Antibiotic-resistant infections from foodborne germs still cause about 440,000 illnesses in the United States each year, the U.S. Centers for Disease Control and Prevention reported Tuesday.

For the current report, the CDC investigators tested more than 5,000 foodborne bacteria from affected people and compared them with findings from previous years.

The investigators found that [multidrug resistance](#) in a common strain of *Salmonella* called I4,[5],12:i:- rose from 18 percent in 2011 to 46 percent in 2013. Illness with this strain of *Salmonella* has been linked to animal exposure and consumption of contaminated pork or beef. Another foodborne bacteria monitored for [drug resistance](#) is *Campylobacter*. In 2013, one-quarter of *Campylobacter* samples from infected people were resistant to quinolone antibiotics such as ciprofloxacin, the agency said.

To curb drug-resistant infections, efforts are being made to reduce inappropriate use of antibiotics in food-producing animals. Measuring the success of those efforts, the CDC's National Antimicrobial

APA citation: CDC: Drug-resistant foodborne bacteria on rise (2015, June 10) retrieved 23 October 2019 from <https://medicalxpress.com/news/2015-06-cdc-drug-resistant-foodborne-bacteria.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*