

Vulnerability to depression linked to noradrenaline

15 February 2016



Credit: George Hodan/Public Domain

The team of Bruno Giros, a researcher at the Douglas Mental Health University Institute and professor of psychiatry at McGill University, reports the first-ever connection between noradrenergic neurons and vulnerability to depression. Published in the journal *Nature Neuroscience*, this breakthrough paves the way for new depression treatments that target the adrenergic system.

Stressful life events—job loss, accident, death of a loved one—can trigger major depression in one person, but not in another. A deciding factor is resilience, a biological mechanism that determines an individual's capacity to rebound from stressful or traumatic events. Researchers are still learning how resilience works.

"We know that a small cerebral structure, known as the [ventral tegmental area](#), contains dopaminergic neurons that play a key role in vulnerability to depression," explains Bruno Giros, whose team is part of the CIUSSS de l'Ouest-de-l'Île-de-Montréal research network. By mimicking [stressful life events](#) in animal models, the researchers confirmed that increased

dopaminergic neuron activity corresponds to depression.

Vulnerability under control

Their research further shows that a second type of neuron, noradrenergic neurons, controls dopaminergic [neuron activity](#). "It is this control that steers the body's response toward resilience or toward vulnerability to depression," says Giros.

Noradrenergic neurons are located in a cerebral structure named Locus coeruleus. These neurons communicate with each other using noradrenaline, a neurotransmitter molecule involved in emotional regulation, sleep and mood disorders—and, Giros now believes, resilience and depression.

By combining pharmacological, genetic and optogenetic (activation of the neurons activity by a light beam) approaches, Giros's team showed that animals that cannot release noradrenaline are systematically vulnerable to depression following chronic stress. This is not, however, an irreversible condition: increasing noradrenaline production results in higher resilience—and less depression.

"Beyond this discovery about the brain mechanisms involved in [depression](#), our results help explain how adrenergic drugs may work and could be used to treat [major depression](#)," Giros says.

More information: "Resilience against chronic stress is mediated by noradrenergic regulation of dopamine neurons," *Nature Neuroscience*, published online 15 February 2016. [DOI: 10.1038/nn.4245](#)

Provided by McGill University

APA citation: Vulnerability to depression linked to noradrenaline (2016, February 15) retrieved 26 October 2021 from <https://medicalxpress.com/news/2016-02-vulnerability-depression-linked-noradrenaline.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.