


Cancer cells 'talk' to their environment, and it talks back

November 22 2016



The above image shows the measurement of single-cell traction force using gel deformation and a fibrous nonlinear elastic model. Each arrow represents the discrete displacement of a fluorescent bead bonded to a collagen fiber. Credit: Matthew Hall/Provided

Interactions between an animal cell and its environment, a fibrous network called the extracellular matrix, play a critical role in cell function, including growth and migration. But less understood is the mechanical force that governs those interactions.

A multidisciplinary team of Cornell engineers and colleagues from the University of Pennsylvania have devised a method for measuring the [force](#) a cell—in this case, a breast cancer cell—exerts on its fibrous surroundings. Understanding those forces has implications in many disciplines, including immunology and cancer biology, and could help scientists better design biomaterial scaffolds for tissue engineering.

The group, led by Mingming Wu, associate professor in the Department of Biological and Environmental Engineering, developed 3-D traction-force microscopy to measure the displacement of fluorescent marker beads distributed in a [collagen matrix](#). The beads are displaced by the pulling of migrating [breast cancer cells](#) embedded in the matrix. An important part of the puzzle was to calculate the force exerted by the cells using the displacement of the beads. That calculation was carried out by the team led by Vivek Shenoy, professor of materials science and engineering at the University of Pennsylvania.

The group's paper, "Fibrous nonlinear elasticity enables positive mechanical feedback between cells and extracellular matrices," published online Nov. 21 in *Proceedings of the National Academy of Sciences*. Matthew Hall, Ph.D. '16, now a postdoctoral researcher at the University of Michigan, is lead author and engineered the collagen matrices used in the study.

Wu—who also was affiliated with the Cornell Center on the Microenvironment and Metastasis at Weill Cornell Medicine, which existed from 2009 through 2015—said her group's work centered on a basic question: How much force do cells exert on their [extracellular](#)

[matrix](#) when they migrate?

"The matrix is like a rope, and in order for the cell to move, they have to exert force on this rope," she said. "The question arose from cancer metastasis, because if the cells don't move around, it's a benign tumor and generally not life-threatening."

It's when the cancerous cell migrates that serious problems can arise. That migration occurs through "cross-talk" between the cell and the matrix, the group found. As the cell pulls on the matrix, the fibrous matrix stiffens; in turn, the stiffening of the matrix causes the cell to pull harder, which stiffens the matrix even more.

This increased stiffening also increases cell force transmission distance, which can potentially promote metastasis of cancer cells.

"We've shown that the cells are able to align the fibers in their vicinity by exerting force," Hall said. "We've also shown that when the matrix is more fibrous - less like a continuous material and more like a mesh of fibers - they're able to align the fibers through the production of force. And once the fiber is aligned and taut, it's easier for [cells](#) to pull on them and migrate."

"I'm a strong believer that every new science discovery goes hand-in-hand with new technology development," she said. "And with every new tool, you discover something new."

More information: Matthew S. Hall et al, Fibrous nonlinear elasticity enables positive mechanical feedback between cells and ECMs, *Proceedings of the National Academy of Sciences* (2016). [DOI: 10.1073/pnas.1613058113](https://doi.org/10.1073/pnas.1613058113)

Provided by Cornell University

Citation: Cancer cells 'talk' to their environment, and it talks back (2016, November 22) retrieved 26 April 2024 from <https://medicalxpress.com/news/2016-11-cancer-cells-environment.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.