

Breast cancer screenings still best for early detection

October 12 2017



(HealthDay)—Breast cancer is the second leading cause of cancer death

among women in the United States, and routine screenings remain the most reliable way to detect the disease early, a breast cancer expert says.

"Breast [cancer](#) can be treated more successfully if detected in its early phases, while it is small and has not yet spread," said Dr. Kathryn Evers, director of mammography at Fox Chase Cancer Center in Philadelphia. "With today's state-of-the-art treatment options and less extensive surgery, patients are experiencing better outcomes."

Older age is a leading risk factor for [breast cancer](#). Most women are diagnosed after the age of 50. Having certain mutations in the BRCA1 and BRCA2 genes also predispose women to the disease. And there are some lifestyle-related risk factors that can be controlled, such as hormone therapy after menopause, obesity, alcohol intake and physical inactivity, Evers said.

"Having one risk factor or even several doesn't mean a woman will definitely develop breast cancer," she said in a Fox Chase news release. "Women need to become educated about the [risk factors](#), especially those they can control, and then adjust their lifestyle accordingly."

Not all women with breast cancer experience the same warning signs of the disease. Symptoms of breast cancer may include:

- A lump in the breast or armpit.
- Swelling or thickening in part of the breast.
- Dimpling or irritation of the skin on the breast.
- Pain in the breast that doesn't go away.
- Redness or flaky skin on the breast or nipple.
- Unusual nipple discharge.
- A change in the size or shape of the breast.

In some cases, women never develop any of these symptoms, Evers

noted.

"All women should know how their breasts look and feel so they can recognize any changes in them. This is an important part of breast health," she said. "But just being familiar with your breasts should never take the place of regular screenings and mammograms. These tests can help find breast cancer in its early stages, even before symptoms appear."

There are three tests often used to look for breast cancer, Evers said.

- **Mammogram:** An X-ray of the breast used to examine breast changes. Its effectiveness depends on the size of a [breast tumor](#) and the density of breast tissue. Three-dimensional (3-D) mammography involves X-ray machines that take pictures of thin slices of the breast from different angles, to build a 3-D image.
- **Breast ultrasound:** This test is often used along with mammography to screen high-risk women and those with dense [breast](#) tissue.
- **Breast MRI:** This test may be used to screen high-risk women and more closely examine a suspicious area detected during a mammogram or an ultrasound.

"I advise [women](#) to speak with their physician to determine what is right for them," Evers said.

More information: The American Cancer Society has more about [breast cancer](#).

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: Breast cancer screenings still best for early detection (2017, October 12) retrieved 23

April 2024 from <https://medicalxpress.com/news/2017-10-breast-cancer-screenings-early.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.