


New insights into how a virus-blocking bacterium operates in mosquitos

March 1 2018



Wolbachia does not affect DENV binding or internalisation but viral RNA replication. Credit: Thomas S, et al. (2018)

New research reveals details of the mechanism by which the bacterium *Wolbachia* blocks viruses in mosquito cells, suggesting that it reduces viral replication inside cells and that rapid degradation of viral RNA is involved. Professor Scott O'Neill, Program Director of the World Mosquito Program, led by Australia's Monash University, and colleagues report their findings in *PLOS Pathogens*.

Wolbachia is known to lower mosquitoes' ability to transmit viral diseases, such as dengue, chikungunya and Zika, to humans, and scientists are testing whether deliberately infecting mosquito populations with *Wolbachia* can stop the spread of these diseases. However, the precise mechanism by which *Wolbachia* blocks viruses in mosquitos is unclear.

Most investigations into virus blocking by *Wolbachia* have focused on mosquitoes' response to the bacterium; instead, O'Neill and colleagues studied the effects of *Wolbachia* on dengue and West Nile viruses themselves. They performed a series of experiments to examine the [molecular details](#) of each stage of viral infection in *Wolbachia*-infected mosquito cells.

The researchers found no evidence that *Wolbachia* inhibits the earlier stages of virus infection, which include binding to the outside of a cell, followed by entry into the cell. Instead, the results suggest that the bacterium inhibits replication once dengue or West Nile virus is inside a mosquito cell. Reduced replication was associated with rapid degradation of viral RNA, and evidence suggested that a mosquito cellular protein called XRN1 may play a key role in this process.

Further evidence showed that the virus-blocking ability of *Wolbachia* also depends on the initial dose of the virus and how fast it replicates; slowly replicating viruses like dengue are blocked more effectively than faster ones, such as West Nile.

Dengue infection is increasing worldwide, with an estimated 400 million people infected every year. While further research is needed to tease out more of the molecular details behind virus blocking by Wolbachia, these new findings could help inform efforts to use the bacterium to prevent spread of disease.

"We now have a better understanding of the mechanism by which Wolbachia inhibits replication of the [dengue virus](#) and leads to the degradation of viral RNA in the mosquito cell," O'Neill explains. "This is an important step forward in deepening our understanding of the mechanistic basis of our approach to tackling the increasing global arbovirus burden."

More information: Saijo Thomas et al, Wolbachia-mediated virus blocking in mosquito cells is dependent on XRN1-mediated viral RNA degradation and influenced by viral replication rate, *PLOS Pathogens* (2018). [DOI: 10.1371/journal.ppat.1006879](https://doi.org/10.1371/journal.ppat.1006879)

Provided by Public Library of Science

Citation: New insights into how a virus-blocking bacterium operates in mosquitos (2018, March 1) retrieved 24 April 2024 from <https://medicalxpress.com/news/2018-03-insights-virus-blocking-bacterium-mosquitos.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--