


# A molecule that can improve the efficiency of chemotherapy

June 28 2018



Left: the Patched protein (in blue) expels some of the doxorubicin (Dxr) from the cancerous cell, and creates resistance to chemotherapy. Right: Patched remains inactive in the presence of methiothepin (in green), and the accumulation of doxorubicin in the cancerous cell leads to its death. Credit: HASANOVIC et al./IPMC

A team of researchers from the CNRS and Université Nice Sophia Antipolis has just shown that a small molecule called methiothepin can inhibit the chemotherapy resistance of certain tumors. These results will be on the cover of the July 1, 2018 issue of *International Journal of Cancer*.

Cancerous tumors are also capable of "detoxing," subsequently limiting the efficiency of chemotherapy. To better understand this phenomenon, a team from Institut de pharmacologie moléculaire et cellulaire (CNRS/Université Nice Sophia Antipolis) studied the Patched membrane protein, and showed that this protein is capable of expelling some of the primary active ingredients of chemotherapy from [cancerous cells](#). The rejection of these toxic substances enables the tumor to eventually survive the treatment.

The Patched protein normally participates in embryonic development, but it is diverted as a tool for "detoxification" in numerous cancers: melanoma, adrenocortical carcinoma, colorectal cancer, breast cancer... After demonstrating that Patched actively contributes to resistance to doxorubicin, one of the medicines used in chemotherapy, researchers studied its inhibition through a small molecule called methiothepin.

Remarkably, a combination of doxorubicin and methiothepin eliminates tumors more efficiently than doxorubicin alone, both in vitro on cancerous human [cells](#), and in vivo on these same cells grafted in mice. Researchers observed that methiothepin fostered the accumulation of the treatment in cancerous cells, as well as its efficiency. Finally, their research shows that the combination of two molecules does not increase the quantity of [doxorubicin](#) in the hearts of the mice studied, which is an important point, as this compound is known for its cardiotoxicity.

Methiothepin belongs to a family of serotonin receptor inhibitors, some of whose members are already used to treat schizophrenia. As a result,

the research team wants to pursue this research alongside chemists, in order to optimize methiothepin and do away with its effect on the serotonin receptor, in an effort to increase its specificity for Patched.

**More information:** Anida Hasanovic et al. Targeting the multidrug transporter Patched potentiates chemotherapy efficiency on adrenocortical carcinoma in vitro and in vivo, *International Journal of Cancer* (2018). [DOI: 10.1002/ijc.31296](https://doi.org/10.1002/ijc.31296)

Provided by CNRS

Citation: A molecule that can improve the efficiency of chemotherapy (2018, June 28) retrieved 22 September 2024 from <https://medicalxpress.com/news/2018-06-molecule-efficiency-chemotherapy.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.