


# Nerve stimulation in mice suggests new way to reduce delirium after surgery

October 11 2018

---



## Nerve Stimulation in Mice Suggests New Way to Reduce Delirium After Surgery

Microscope images show immune cells in the brain called microglia in red. After injury, the immune system responds, activating microglia. In this study, stimulating the vagus nerve helped return microglia to a calmer state. (Duke University)

Microscope images show immune cells in the brain called microglia in red. After injury, the immune system responds, activating microglia. In this study, stimulating the vagus nerve helped return microglia to a calmer state. Credit: Duke University

For adults over age 65, surgical complications can dampen not only their physical health but also their mental sharpness, with more than half of high-risk cases declining into delirium.

In research published this week in the journal *Brain Stimulation*, Duke University scientists show in a mouse model that a current treatment for seizures can also reverse [brain inflammation](#), such as inflammation after surgery, and the subsequent confusion or cognitive decline that results.

The therapy involves minimally invasive stimulation of the vagus nerve using small electrical pulses comparable to a cell phone's vibrations.

The scientists used a Doppler ultrasound to guide the placement of a needle that delivers the electrical pulse, avoiding nearby delicate structures such as the carotid artery. Researchers hope to refine the technique into a completely non-invasive approach to preventing [cognitive decline](#) when seniors and other at-risk patients have surgery.

"Delirium is now recognized as the most common complication in older adults after surgery," said Niccolò Terrando, Ph.D., associate professor of anesthesiology at Duke and the study's senior author. "For most patients, it lasts a few days and resolves on its own. For some, it can lead to severe complications and even contribute to long lasting cognitive deficits, like dementia."

Terrando noted that these cognitive complications have a huge impact on quality of life and can be expensive, with health care costs for delirium reaching \$164 billion a year according to the American Society of Anesthesiologists.

"So far, there is no therapy for this kind of cognitive [complication](#) after surgery," Terrando said. Anti-inflammatory drugs have many side effects and work broadly, he said, and they don't adequately target the inflammation in the [brain](#) that scientists believe triggers cognitive complications.

The vagus nerve helps the brain communicate with the heart, lungs, gut

and other parts of the body. Vagus nerve stimulators have been surgically implanted in epilepsy patients for more than 20 years to reduce seizures.

In recent years, U.S. doctors have also prescribed at-home, non-invasive stimulators for severe headaches. However, there is not substantial evidence that the devices are stimulating the vagus nerve and not other structures near it, said Warren M. Grill, Ph.D., professor of biomedical engineering at Duke.

For the experimental model, mice with inflammation received one nerve-stimulating treatment lasting several minutes. The researchers monitored for signs of vagus [nerve](#) activation, such as a slower heart rate and twitching of muscles around the larynx, and found improved cognitive outcomes and reduced brain [inflammation](#) after this treatment.

"This minimally invasive approach is already exceedingly benign, but in the long term it would be desirable to have an entirely non-invasive approach and we are beginning that work," Grill said.

**More information:** William J. Huffman et al, Modulation of Neuroinflammation and Memory Dysfunction using Percutaneous Vagus Nerve Stimulation in Mice, *Brain Stimulation* (2018). [DOI: 10.1016/j.brs.2018.10.005](#)

Provided by Duke University Medical Center

Citation: Nerve stimulation in mice suggests new way to reduce delirium after surgery (2018, October 11) retrieved 25 April 2024 from <https://medicalxpress.com/news/2018-10-nerve-mice-delirium-surgery.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.