

# Lyme disease predicted to rise in United States as climate warms

October 31 2018

---



Credit: CC0 Public Domain

Lyme disease is the most common tick-borne disease in North America and its incidence has risen sharply in the last decade. Since its progression depends on environmental factors, increases in daily

temperatures, a manifestation of climate change, might be contributing to a rise in the number of ticks as well as a greater availability of hosts. A new study looked at the relationship between climatic variables and the incidence of Lyme disease in 15 U.S. states. The study found that rising temperatures are expected to boost the number of cases of Lyme disease by more than 20 percent by mid-century.

The study, by researchers at Carnegie Mellon University and the Mayo Clinic College of Medicine and Science, appears in the *Canadian Journal of Infectious Diseases and Medical Microbiology*.

"A sizable increase in the incidence of cases of Lyme [disease](#) in the United States due to climate change is imminent," says Edson Severnini, assistant professor of economics and public policy at Carnegie Mellon University's Heinz College, who coauthored the study. "Our findings should alert clinicians, public health professionals, and policymakers, as well as the general public."

The number of reported cases of Lyme disease in the United States rose from 10,000 in 1991 to about 28,000 annually in the past five years. Growing evidence suggests that climate change may affect the incidence and prevalence of diseases like Lyme. This is because ticks spend most of their life cycle outside the host in an environment where temperature and humidity directly affect their development, activity, survival, and host-seeking behavior. In fact, the U.S. Environmental Protection Agency uses the number of cases of Lyme disease as an indicator of [climate](#) change.

To better understand the magnitude of the effect of [climate change](#) on incidences of Lyme disease, researchers examined the effect of climatic variables on frequency of the disease in 15 U.S. states with the highest incidence of Lyme disease; these 15 states, which are primarily in the Northeast and Upper Midwest, contribute to 95 percent of reported

cases. In those [states](#), researchers studied 568 counties, using annual epidemiological data from the Centers for Disease Control and Prevention from 2000 to 2016; they also looked at meteorological data (temperature and precipitation) from the National Oceanic and Atmospheric Administration.

Assuming that the temperature will rise 2 degrees Celsius (3.6 degrees Fahrenheit) by mid-century, which is what the U.S. National Climate Assessment predicts will occur based on projection averages for the period 2036-2065, the study predicts that the number of cases of Lyme disease in the United States will increase about 21 percent by mid-century. This means 8.6 more cases of Lyme disease per 100,000 people annually.

"Tick-borne diseases are an important public health concern and the incidence of these infections is increasing in the United States and worldwide," explains Igor Dumic, researcher at the Mayo Clinic College of Medicine and Science and the Mayo Clinic Health System, who led the study. "Lyme disease is a classic example of the link between environmental factors and the occurrence and spread of disease."

**More information:** Igor Dumic et al, "Ticking Bomb": The Impact of Climate Change on the Incidence of Lyme Disease, *Canadian Journal of Infectious Diseases and Medical Microbiology* (2018). [DOI: 10.1155/2018/5719081](https://doi.org/10.1155/2018/5719081)

Provided by Carnegie Mellon University

Citation: Lyme disease predicted to rise in United States as climate warms (2018, October 31) retrieved 26 April 2024 from <https://medicalxpress.com/news/2018-10-lyme-disease-states-climate.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.