


Researchers find evidence of prenatal environment tuning genomic imprinting

5 December 2018, by Bob Yirka



Credit: CC0 Public Domain

A team of researchers from the U.S., Australia and Denmark has found evidence of the prenatal environment tuning genomic imprinting. In their paper published in *Proceedings of the National Academy of Sciences*, the group describes their analysis of genomic data from several prior studies and what they found regarding genomic imprinting.

Genomic imprinting is when [gene expression](#) can be restricted to just one individual allele (alternative forms of a gene, such as those that are involved in coding for eye color). It is believed to be part of a process that involves a [single parent](#), and is generally mediated by methylation (a process that silences [gene transcription](#)). In this new effort, the researchers sought to learn more about the role the prenatal environment plays with genomic imprinting. Their work involved analyzing data from several [genetic studies](#) that included methylation activities.

One such study, an epigenome-wide association study (EWAS), involved collecting data from 114 children in Gambia. The researchers found that the differentially methylated region of the nc886 gene

had been imprinted in 78 percent of the children conceived during an unusually dry growing season and resulting food shortage. They also found imprinting of the same gene occurred with 93 percent of the children conceived during a rainy season.

This data suggested that nutrition played a role in imprinting. When analyzing data from another EWAS project, the researchers found evidence that the mother's age when she gave birth played a role in [genomic imprinting](#)—imprinting occurred in 47 percent of children born to mothers who were less than 20 years old, whereas the percentage jumped to 75 percent of babies born to mothers who were older than 20.

The researchers conclude that they have found a means by which epigenetic information is transmitted from a pregnant mother to her embryo or fetus. They further suggest that EWAS studies conducted in the future should take into account the role that imprinting can have on pregnant mothers and their offspring.

More information: Brittany L. Carpenter et al. Mother–child transmission of epigenetic information by tunable polymorphic imprinting, *Proceedings of the National Academy of Sciences* (2018). [DOI: 10.1073/pnas.1815005115](https://doi.org/10.1073/pnas.1815005115)

© 2018 Science X Network

APA citation: Researchers find evidence of prenatal environment tuning genomic imprinting (2018, December 5) retrieved 25 January 2021 from <https://medicalxpress.com/news/2018-12-evidence-prenatal-environment-tuning-genomic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.