

Blood pressure may explain higher dementia risk in blacks

January 9 2019



Older black adults with high blood pressure, and especially black men,

show more severe cognitive declines than white adults who have high blood pressure, according to new research.

The University of Michigan-led study published Wednesday in the American Heart Association's journal *Hypertension*, suggests [blood pressure](#) may help explain why black adults—who are more likely to develop high blood pressure—also are two times more likely to have [dementia](#) later in life. It also suggests that aggressively treating high blood pressure could reduce the risk of cognitive impairment in a wider population of older adults, particularly in black adults and men.

"We currently don't have very effective treatments for dementia, so preventing it is critical," said Dr. Deborah A. Levine, the study's lead author and an associate professor of internal medicine and neurology at the University of Michigan Medical School.

High blood pressure—particularly in midlife—and cognitive declines such as dementia have been linked at least since the 1960s, when a study found air traffic controllers and pilots with hypertension processed information more slowly. Less has been known, however, about how dementia risk based on blood pressure differs when it comes to race and gender.

In the new study, researchers followed a group of 22,164 middle-aged and older black and white adults over an eight-year period. Trained professionals measured participants blood pressure at home at the beginning of the study. Then, participants took cognitive tests over the phone every 12 to 24 months.

Black adults with high systolic blood pressure (the top number in the measurement) showed faster declines in global cognition, which includes memory, new learning and comprehension, compared to white adults with the condition. Men with high blood pressure, compared to women,

also had faster declines in new learning, according to the study.

Since blood pressure tends to rise with age, Levine said a higher systolic blood pressure of about 150 or less has been seen as acceptable in older adults.

But blood pressure guidelines created by the AHA, the American College of Cardiology and endorsed by eight other health organizations suggest the risk of heart attacks, heart failure, strokes and death can be reduced in [adults](#) older than 65 if they're treated for blood pressure the same way younger people are—to a systolic blood pressure of less than 130.

More information is needed, Levine said, on whether aggressively treating blood pressure will indeed prevent dementia and reduce the racial disparities in dementia risk.

In the U.S., more than 40 percent of non-Hispanic African-American men and women have high blood pressure. It's a condition that often develops earlier in life for African-Americans, and it's more severe. Higher rates of obesity and diabetes among African-Americans may be to blame.

The brain is one of the main organs to feel the effects of hypertension. High blood pressure alters blood vessels and makes it more likely for arteries to harden and narrow. If not enough blood flows into the brain, damage can occur in areas that are critical for cognitive function, leading to conditions like dementia.

Cognitive impairment and dementia, known as CID, affects around 8.6 million Americans. The number of those affected could triple by 2050 as baby boomers age, with associated costs topping \$1.1 trillion.

The new study provides more rationale for aggressive screening and treatment of hypertension, said Dr. Adolfo Correa, a professor of medicine and pediatrics at the University of Mississippi Medical Center. He also is study director and principal investigator for the Jackson Heart Study, the largest research project to date looking at the causes of cardiovascular diseases in African-Americans.

"It should stimulate more research," said Correa, who was not part of the new study. "It's going to be important to replicate the findings, and to try to understand the possible reasons for the racial and ethnic disparities in cognitive impairment related to [high blood pressure](#)."

Copyright is owned or held by the American Heart Association, Inc., and all rights are reserved. Not all views expressed in this story reflect the official position of the American Heart Association. If you have questions or comments about this story, please email editor@heart.org.

Citation: Blood pressure may explain higher dementia risk in blacks (2019, January 9) retrieved 18 April 2024 from <https://medicalxpress.com/news/2019-01-blood-pressure-higher-dementia-blacks.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--