

# Could a heart attack or stroke lead to early menopause?

30 January 2019



according to age they went into menopause, classifying anyone who started before age 45 as "early."

They also looked at their self-reported cardiovascular events, such as [heart](#) attack, angina and stroke.

The study found that women who had a cardiovascular event before age 35 had twice the risk of being in menopause by the time they reached 45. Women who had an event after 40 were more likely to experience a "normal" menopause at around 51.

The findings should send a strong message to doctors of [young women](#) with heart disease, said the study's lead author, Dongshan Zhu, a doctoral candidate at the University of Queensland in Australia.

New research has found that women who have a heart attack, stroke or some other type of cardiovascular event before age 35 have twice the risk of going into early menopause—which could create its own set of health hazards.

Menopause is the process in which a woman permanently stops having menstrual cycles. In many women, it occurs around age 51.

Past studies have found a link between women who had early menopause and an increased [risk of cardiovascular disease](#). But a group of researchers in Australia set out to see whether the reverse is true: Could a stroke, [heart attack](#) or other cardiovascular event in young women contribute to early menopause?

In new research being presented at the American Stroke Association's International Stroke Conference next week in Honolulu, the scientists presented data on 177,131 women pooled from nine studies. The women were categorized

"These women should be alerted by their physicians for their future high possibility of having early menopause, because early menopause is associated with higher risk of death, Type 2 diabetes and osteoporosis," he said.

The findings illustrate the strong connection between female hormone levels and overall health, particularly heart disease, said Dr. Thomas Price, a reproductive endocrinologist and fertility specialist at Duke University in North Carolina.

Lower estrogen level is associated with a higher risk for [heart disease](#) for various reasons, including the hormone's positive effect on keeping blood vessel and artery walls flexible, he said.

Price, who was not connected with the study, said menopause is typically preceded by a gradual decline in hormones over a span of numerous years.

"It's not like your hormones are perfectly normal

and all of sudden, poof, they're gone, and you stop having periods. It's a gradual thing," he said. "So, the question becomes, is there something about having a cardiovascular event that could cause early menopause? Or is it, more likely, that [early menopause](#) is associated with lower estrogen levels, which predisposes someone to cardiovascular events?"

Zhu said that because most of the [women](#) in the study were white, more research is needed to see whether the findings hold firm in other races and ethnic groups.

Additional studies also could examine whether [genetic factors](#) tie early-onset [menopause](#) to the occurrence of cardiovascular disease, he said, or whether environmental factors such as smoking also play a role.

Copyright is owned or held by the American Heart Association, Inc., and all rights are reserved. Not all views expressed in this story reflect the official position of the American Heart Association. If you have questions or comments about this story, please email [editor@heart.org](mailto:editor@heart.org).

APA citation: Could a heart attack or stroke lead to early menopause? (2019, January 30) retrieved 30 October 2020 from <https://medicalxpress.com/news/2019-01-heart-early-menopause.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*