

Mindfulness promising option for easing chronic pain

January 31 2019



Credit: CC0 Public Domain

Mindfulness meditation is a promising option for easing chronic pain, finds a pooled analysis of the available data, published online in the journal *Evidence Based Mental Health*.

It can lessen the severity and impact on daily life of chronic [pain](#) as well as the accompanying distress, the findings indicate.

This is important, say the researchers, because the most widely used psychological technique for treating chronic pain is cognitive behavioural therapy or CBT. But not everyone living with chronic pain, which affects around one in five adults, finds CBT helpful.

The researchers trawled research databases for relevant clinical trials looking at the effectiveness of CBT or mindfulness-based [stress reduction](#) for the treatment of chronic pain-defined as lasting at least three months.

Mindfulness is a type of meditation focusing on moment to moment awareness of thoughts, feelings, bodily sensations and the immediate environment. The stress reduction element aims to help those affected develop ways of coping more effectively with their pain.

Out of an initial 184 suitable clinical trials, 21, involving nearly 2000 people, were selected, and the results data pooled.

Most of the [study participants](#) were women and aged between 35 and 65. The conditions causing them pain were largely musculoskeletal. In nearly four out of 10 studies, participants had endured their pain for more than a decade.

The review combined both direct and indirect evidence for the potential health impact of CBT compared with usual or no care; mindfulness compared with usual or no care; and mindfulness compared with CBT.

The analysis showed that there were no important differences between either of the two techniques. Both significantly improved physical functioning and lessened pain severity and associated depression,

compared with usual or no care.

The researchers sound a note of caution in respect of their findings. Only one of the 21 trials directly compared CBT with mindfulness, and only 12 trials were deemed to be of reasonable or good quality.

While the analysis produced comparable results for both techniques, the statistical margin of error was wide, meaning that it is too early to tell which of CBT or mindfulness might be better for people with different types of pain and psychological symptoms, they point out. Further research is needed to plug this gap, they say.

But they conclude: "While CBT is considered to be the preferred psychological intervention of [chronic pain], not all patients with [it] experience a clinically significant treatment response.

"Although a number of recommendations have been proposed to improve CBT for patients with [chronic pain](#), an additional solution may be to offer patients mindfulness based stress reduction since it shows promise in improving pain severity and reducing pain interference and psychological distress."

More information: Systematic review: Comparative evaluation of group-based mindfulness-based stress reduction and cognitive behavioural therapy for the treatment and management of chronic pain: A systematic review and network meta-analysis, *Evidence Based Mental Health*, [DOI: 10.1136/ebmental-2018-300062](https://doi.org/10.1136/ebmental-2018-300062)

Provided by British Medical Journal

Citation: Mindfulness promising option for easing chronic pain (2019, January 31) retrieved 26

April 2024 from

<https://medicalxpress.com/news/2019-01-mindfulness-option-easing-chronic-pain.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.